PRICE BOOK

October 1, 2017



ALARM LOCK SYSTEMS, LLC

345 Bayview Ave. Amityville, NY 11701 1-800-ALA-LOCK (252-5625) (631) 789-4871 Tel or (631) 789-3383 Fax



Important Things to Know about Doing Business with Alarm Lock Systems, Inc.

Prices shown in this book are list prices. All customers with direct accounts receive a discount letter along with each new price book. If you have a direct account with Alarm Lock you may request a copy of your discount letter in writing or by contacting you local sales representative.

The price book is for pricing purposes only and does not represent stocking levels. Certain items are manufactured to order. Please be sure to consult the factory or your Alarm Lock representative or Regional Sales Manager for availability.

Terms: Net 30

Freight Allowance: Shipments are F.O.B. Amityville, NY. Freight allowed within the continental U.S.A. is \$7,500.00. Freight allowance not available on drop ship orders.

Drop Shipments: All orders shipping to an address other than the customer's or one of their branches, is subject to a \$25.00 handling fee. Freight allowance not available on drop ship orders.

Minimum Order: The minimum order requirement has been changed to \$250.00 for all customers.

Returns/Warranty: Please see last page of price book for details.

Website: Visit us at www.alarmlock.com for a complete list of sales representatives by state, product specifications, technical data, and downloadable PDF files of all Alarm Lock's products as well as the most current version of our software DL-Windows.

If you need to contact us:

Alarm Lock Systems, Inc. 345 Bayview Ave Amityville NY 11701

Toll free number – 1 800 ALA-LOCK (252-5625) Direct telephone – 631 789-4871 Direct fax – 631 789-3383

All prices published are suggested list prices in US Dollars. Some specifications are preliminary and subject to change without prior notice. Not responsible for typographical errors. Alarm Lock Systems, LLC, is a Division of Napco Security Technologies, Inc. (NASDAQ:NSSC) © Alarm Lock Systems, LLC, 9.16



Table of Contents

Trilogy	DL2700/D	L2700LD 100 user Lock/LocDown	6
Trilogy	DL5200	100 user Double Sided Lock	.7
Trilogy	DL2700CF	R/DB T2 Series8-	.9
Trilogy	ETDL27 S	eries10-1	2
Trilogy	DL2800	200 user Lock1	3
Trilogy	DL3000	300 user Lock1	4
Trilogy	DL3200	2000 user Lock1	.5
Trilogy	DL5300	2000 user Double Sided Lock.	16
Trilogy	DL4100	2000 user Privacy/Residency Lock	17
Trilogy	PDL3000	2000 user Proximity & Keypad Lock	8
Trilogy	PDL5300	2000 user Proximity Double Sided Lock	19
Trilogy	PL3000	2000 user Proximity Only Lock	20
Trilogy	PDL4100	2000 user Proximity w/Privacy/Residency Lock	21
Trilogy	Cylindrica	l Lock Parts22-	23
Trilogy	& Network	Remote Release Products2	4
Trilogy	DL3500	300 user Mortise Lock	26
Trilogy	DL4500	2000 user Mortise w/Privacy/Residency Lock2	:7
Trilogy	PL/PDL35	00 2000 user Proximity Mortise Lock28-	29
Trilogy	PDL4500	2000 user Proximity Mortise w/Privacy/Residency Lock30-	3



Table of Contents (con't)

Trilogy DL1200	100 user Narrow stile Lock	2
Trilogy DL1300	2000 user Narrow Stile Lock	3
Trilogy PDL1300	2000 user Narrow Stile Proximity Lock	4
Trilogy Narrow Stile	e Lock Parts & Accessories3	5
Trilogy DL1200ET,	DL/PDL1300ET Narrow Stile Exit Trim36-3	37
Trilogy Narrow Stile	Exit Trim Parts & Accessories	8
Trilogy ETDL/ETPI	OL 2000 user Exit Trim Lock39-4	1
Trilogy DK3000	2000 user Keypad/Wall Mounted Reader4	2
Trilogy PDK3000	2000 user Proximity Keypad/Wall Mounted Reader4	2
Trilogy DL6100	Networx Digital Lock, 5,000 user codes4	3
Trilogy PDL6100	Networx Proximity & Keypad 5,000 user codes4	4
Trilogy Training Op	tions 4	15
Trilogy PL6100/PDL	.6200 Networx Proximity Only 5,000 user codes	16
Trilogy DL6500 N	etworx Digital Mortise Lock 5,000 user codes4	7
DL 6500 Mortise Lo	ck Accessories4	8
Trilogy PDL6500/PL	.6500 Networx Proximity and Prox Only 5,000 user codes4	9
PDL6500/PL6500/PI	OL6600 Mortise Lock Accessories5	0
PDL8200/PDL8600 i	Class Networx Locks and Accessories51-53	
New Networx Access	sories5	4
ETPDNSRX Networ	x Exit Trim59	5



Table of Contents (con't)

Trilogy ETDLN Networx Exit Trim 5,000 user codes	55-57
Trilogy ETPDN Networx Exit Trim 5,000 user codes	55-57
Trilogy ETPLN Networx Exit Trim 5,000 user codes	55-57
NETDK Networx Digital wireless Keypad	58
NETPDK Networx Proxmity & Digital Keypad	58
NETDK/PDK Kits and Accessories	59
Trilogy Remote Release	60
Networx Upgrade Kits	61
ArchiTech TM Series Locks and Accessories	62-66
Weather Resistant Alarmed Panic Devices	67
Alarmed Panic Devices	68
Door Alarms	69
Delayed Egress Panic Device	70
Electric Deadbolts	71
Remote Release Magnets	71
Power Magnets	71
Alarm Lock Warranty/Return Policy	73



DL2700

DL2700LD

TRILOGY ELECTRONIC DIGITAL LOCKS

DL2700 SERIES - Electronic battery operated digital lock. Holds up to 100 user codes,

1 Master, 10 Manager codes & up to 3 one time user codes.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness,

Handing:

please consult factory
Backset: 2 3/4" (2 3/8" also available)

Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8

ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw

reversible Non-handed

Power: 5 AA alkaline batteries (included)

Keypad: All metal, 12 button. All functions programmed

through keypad.

Door prep: Standard ANSI A115 Series prep, modified by

adding additional through-bolt holes

Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed

UL Listed 10C Positive Pressure Specification. FCC

Certified . ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all

key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangeable Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba

Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco,

(LocDownTM)
Sargent, Corbin-Russwin & Schlage are also available
PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS
SPECIFY "WP" FOR WEATHER RISISTENT MODEL

SIECHT WI FOR WEATHER RISISTENT MODEL			
PRODUCT	FINISH	LIST PRICE	
DL2700	US26D	\$881.00	
Standard key override	US3 & US10B	\$1,009.00	
DL2775			
Standard Key override	US26D	\$941.00	
Regal (curved)	US3 & US10B	\$1,066.00	
DL2700IC*	US26D	\$916.00	
Interchangeable core	US3 & US10B	\$1,028.00	
DL2775IC*			
Interchangeable core	US26D	\$976.00	
Regal (curved)	US3 & US10B	\$1,044.00	
DL2700WP	US26D	\$964.00	
Weather proof key override	US3 & US10B	\$1,025.00	
DL2775WP			
Weather proof key override	US26D	\$978.00	
Regal (curved)	US3 & US10B	\$1,046.00	
DL2700WPIC*			
Weather proof	US26D	\$978.00	
Interchangeable core	US3 & US10B	\$1,011.00	
DL2775WIC*			
New Regal (curved) lever	US26D	\$998.00	
Interchangeable core	US3 & US10B	\$1,069.00	
DL2700SK	Mounted DL2700 demo	Call Factory	
DL2700LD	US26D	\$927.00	
Standard Key override			
DL2700LDIC	US26D	\$973.00	
Interchangeable core			

^{*}Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. **MUST SPECIFY 7 PIN FOR CORBIN AND YALE**

Extended sizes:

WP standard and SFIC cylinder preps can be extended for thicker doors.

\$165.00 add on to list for extended lock.

Extended lock legend:

W54 - 2 1/8" W57 - 2 1/4" W60 - 2 3/8" W64 - 2 1/2" W70 - 2 3/4" W76 - 3" W83 - 3 1/4" W89 - 3 1/2"

Note: Locks can be adjusted by +/- 1/8" by adding or removing

spacers.



TRILOGY ELECTRONIC DOUBLE SIDED DIGITAL LOCKS

DL5200 SERIES - Double sided electronic battery operated digital lock. Holds up to 100 user codes,

1 Master, 10 Manager codes & up to 3 one time user codes. Programmable keypad on both sides of the door. Key override is only operable on the primary side. The key

on the secondary side is used only to remove the lever and access the batteries.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness,

please consult factory

Backset: 2 3/4" (2 3/8" also available)

Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"

ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw

reversible

Handing: Non-handed

Power: 5 AA alkaline batteries (included)

Keypad: All metal, 12 button. All functions programmed

through keypad on both sides of the door

Door prep: Standard ANSI A115 Series prep, modified by

adding additional through-bolt holes

Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed

UL Listed 10C Positive Pressure Specification. FCC

Certified . ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all

key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangeable Standard model accepts 6 & 7 pin cylinders from

Core Models: Best, Falcon, and Arrow only.

ALL DL5200 LOCKS ARE WEATHER RESISTANT

PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES

PRODUCT	FINISH	LIST PRICE
DL5200	US26D	\$1,485.00
Standard key override	US3 & US10B	\$1,552.00
DL5275		
Standard Key override	US26D	\$1,513.00
Regal (curved)	US3 & US10B	\$1,576.00
DL5200IC	US26D	\$1,508.00
Interchangeable core	US3 & US10B	\$1,576.00
DL5275IC		
Interchangeable core	US26D	\$1,524.00
Regal (curved)	US3 & US10B	\$1,604.00
DL5200SK	Mounted DL5200 demo	Call Factory

Note: Key override operates latch on primary side only. Key override on secondary side protects the battery pack.



NEW! ALARM LOCK TRILOGY T2 SERIES MORTISE LOCK

DL2700CR/DB series – Trilogy T2 keyless access lock for mortise door prep. Holds up to 100 use codes, 1 master, 10 manager codes and up to 3 one time user codes.

SPECIFICATIONS:

Door Thickness: Fits 1 3/8" to 1 7/8" (4.46cm).

Backset: 2 3/4" standard

Strike: 1 1/4" x 4 7/8" strike included

Handing: Specify RH or LH when ordering, lock is reversible

In the field

Power: 4 C- cell batteries (included)

Keypad: All metal, 12 button. Basic functions programmed

through keypad.

Door prep: Standard ANSI A115 Mortise prep, modified by

adding additional through-bolt holes

Compliances: Steelcase lock body meets BHMA specifications For Grade 1 locks. UL listed to the 10C Positive

Pressure Specification. FCC Certified. ADA

compliant levers

Functions: Classroom function feature stainless steel latchbolt

With 3/4" (1.91cm) projection and deadlocking latch Deadbolt function feature stainless steel deadbolt with 1" (2.55cm) projection, latchbolt with 3/4" (1.91cm) projection and deadlocking latch Deadbolt may be projected from key cylinder from outside door or

turn-piece from inside door.

Cylinder: 1 3/8" (3.5cm) mortise cylinder supplied. Will

Accept 1 3/8" to 1 1/2" (3.5 – 3.82cm) mortise Cylinder. Classroom function supplied with straight

Cam.

Cams: Cams for other manufacturer's cylinders are available

See "Mortise Lock accessories" for part numbers &

Manufacturers

ALL DL2700CR/DB MORTISE LOCKS ARE WEATHER-RESISTANT PLEASE CHECK WITH FACTORY ON LEAD TIMES FOR SPECIAL FINISHES

PRODUCT	FINISH	LIST PRICE
DL2700CRR		
Straight lever classroom	26D	\$1,004.00
Function right hand		
DL2700CRL		
Straight lever classroom	26D	\$1,004.00
Function left hand		
DL2700DBR		
Straight lever deadbolt	26D	\$1,004.00
Function right hand		
DL2700DBL		
Straight lever deadbolt	26D	\$1,004.00
Function left hand		
DL2775CRR		
Regal (curved) lever classroom	26D	\$1,021.00
Function right hand		
DL2775CRL		
Regal (curved) lever classroom	26D	\$1,021.00
Function Left Hand		
DL2775DBR		
Regal (curved) lever deadbolt	26D	\$1,021.00
Function right hand		
DL2775DBL		
Regal (curved) lever deadbolt	26D	\$1,021.00
Function left hand		



NEW! EXPANDED TRILIGY T2 SERIES (con't)

DL2700CR/DB Parts

CLASSROOM FUNCTION CAMS	DESCRIPTION	LIST PRICE
HW956-L	Alarm Lock Standard Straight Cam	\$5.00
HW956-M	Marks Straight Cam	\$5.00
HW956-C	Corbin-Russwin Straight Cam	\$5.00
HW956-S	Schlage Straight Cam	\$5.00
HW956-A	Arrow Straight Cam	\$5.00
HW956-R	Sargent Straight Cam	\$5.00
DEADBOLT FUNCTION CAMS		
HW957-L	Alarm Lock Standard Cloverleaf Cam	\$5.00
HW957-M	Marks Cloverleaf Cam	\$5.00
HW957-C	Corbin-Russwin Cloverleaf Cam	\$5.00
HW957-S	Schalge Cloverleaf Cam	\$5.00
HW957-A	Arrow Cloverleaf Cam	\$5.00
HW957-R	Sargent Cloverleaf Cam	\$5.00
HW1141	Schlage IC Cloverleaf Cam	\$5.00
HW904DBR	Right hand deadbolt lock body	\$171.00
HW903DBL	Left hand deadbolt lock body	\$171.00
HW870CRL	Left Hand Classroom lock body	\$171.00
HW875CRR	Right hand Classroom lock body	\$171.00
S6065	Replacement Battery Pack	\$38.00



NEW! ALARM LOCK TRILOGY T2 SERIES EXIT TRIM

Battery operated Trilogy T2 keyless access outside trim works with Marks M9900, Von Duprin 99, Corbin ED5000, Yale 7100, Dorma 9300, Arrow 3800, Sargent 8800, Precision 1100, 2100 & Cal Royal 9800, series panic devices. Holds up 100 user codes, 1 master, 10 manager codes and up to 3 one time user codes.

SPECIFICATIONS:

Cylinder: Uses standard rim cylinder to operate key override

function. Will accept 6 or 7 pin interchangeable

core cylinders – see below.

Handing: Non-handed

Power: 5 AA alkaline batteries (included) mounted on inside

of door.

Keypad: Weather-resistant all metal, 12 button. All functions

Programmable through the keypad.



Crash bar not included

ALL ET SERIES LOCKS ARE WEATHER-RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES

PRODUCT	DESCRIPTION	LIST PRICE
ETDL27 series	26D	\$876.00
ETDL27 series	US3 & US10B	\$943.00
ETDL27 series w/Regal lever	26D	\$901.00
ETDL27 series w/Regal lever	US3 & US10B	\$969.00
Specify finish on adapter kit	Alarm Lock Standard Rim Cylinder	2.2
ET- AL Finish = 26D, US3 & US10B	Adapter kit (Schlage C keyway)	\$57.00
ET- AR Finish = 26D, US3 & US10B	Arrow Standard Rim Cylinder Adapter kit	\$57.00
ET- AS Finish = 26D, US3 & US10B	ASSA Standard Rim Cylinder Adapter kit	\$57.00
ET – C Finish = 26D, US3 & US10B	Corbin Standard Rim Cylinder Adapter kit	\$57.00
ET – M Finish = 26D, US3 & US10B	Medeco Standard Rim Cylinder Adapter kit	\$57.00
ET – R Finish = 26D, US3 & US10B	Sargent Standard Rim Cylinder Adapter kit	\$57.00
ET - S Finish = 26D, US3 & US10B	Schlage Standard Rim Cylinder Adapter kit	\$57.00
ET - Y Finish = 26D, US3 & US10B	Yale Standard Rim Cylinder Adapter kit	\$57.00
ET – ARIC Finish = 26, 26D, 3, 4, 5, 10B	Arrow IC 6 & 7 Pin Rim Cylinder Adapter kit	\$79.00
ET - BIC Finish = 26D, US3 & US10B	Best IC 6 & 7 Pin Rim Cylinder Adapter kit	\$79.00
ET - CIC Finish = 26D, US3 & US10B	Corbin IC Rim Cylinder Adapter kit	\$79.00
ET – MIC Finish = 26D, US3 & US10B	Medeco IC 6 & 7 Pin Rim Cylinder Adapter kit	\$79.00



NEW! ALARM LOCK TRILOGY T2 SERIES EXIT TRIM (con't)

Product	Description	List Price
	Sargent IC Rim Cylinder	
ET - RIC Finish = 26D, US3 & US10B	Adapter kit	\$79.00
	Schlage IC Rim Cylinder	
ET - SIC Finish = 26D, US3 & US10B	Adapter kit	\$79.00
	Yale IC 6 Pin Rim Cylinder	
ET - YIC Finish = 26D, US3 & US10B	Adapter kit	\$79.00

EXTENDED SPINDLES MUST BE PURCHASED SEPARATELY

S6146	Extend exit trim to fit $2 - 2\sqrt[3]{4}$ doors	\$112.00
Extended Spindle and screws		
S6147	Extend exit trim to fit 3 – 4" doors	\$112.00
Extended Spindle and screws		
S6195	Extend exit trim to fit 4 1/4 - 5" doors	\$112.00
Extended Spindle and screws		
	Extended replacement screws with	
SC544	adjustable lengths (4 per unit)	\$21.00

PLEASE SEE "HOW TO ORDER" CHART ON PAGE 46 TO PROPERLY ORDER YOUR TRILOGY EXIT TRIM.

IF YOU REQUIRE THE LOCK TO BE PREPPED FOR A THICKER DOOR, YOU MUST ORDER BASED ON THE SELECTIONS SHOWN. THE BASIC MODEL IS PREPPED FOR A 1 5/8" TO 1 7/8" DOOR.


**** PRECISION 2100 SERIES WILL WORK WITH THE VON DUPRIN 99 PREP. YOU MUST GET A MOUNTING PLATE PART # 2141208 FROM PRECISION****



HOW TO ORDER YOUR T2 TRILOGY EXIT LOCK

Below is a "How to Order" guide for the Trilogy Exit Trim products. Please follow this guide when placing orders to avoid any delay in processing your order.

All units are sold with a generic cylinder adapter installed. When you are using a specific brand of rim cylinder, you must purchase a Cylinder Adapter Kit from the chart below.





TRILOGY ELECTRONIC DIGITAL LOCKS

DL2800 SERIES – Electronic battery operated digital lock. Holds up to 200 codes, Master, Management, Supervisor & basic user. 150 event schedule, real time clock & 1,000 event audit trail.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness,

please consult factory

Backset: 2 3/4 " (2 3/8" also available)

Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"

ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw reversible

Handing: Non-handed

Power: 5 AA alkaline batteries (included)

Keypad: All metal, 12 button. All functions programmed

through keypad.

Door prep: Standard ANSI A115 Series prep, modified by

adding additional through-bolt holes

Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset.

UL listed, 10C Positive Pressure Specification. FCC

Certified . ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all

key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangeable

Core Models: Standard model accepts 6 & 7 pin cylinders from

Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available

Extended sizes:

Standard and SFIC cylinder preps can be extended for

thicker doors.

\$165.00 add on to list for extended lock.

Extended lock legend:

W54 - 2 1/8" W57 - 2 1/4"

W60 - 2 3/8" W64 - 2 1/2" W70 - 2 3/4"

W76 - 3" W83 - 3 1/4" W89 - 3 1/2"

Note: Locks can be adjusted by +/- 1/8" by adding or removing spacers.

All DL2800 LOCKS ARE WEATHER-RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS

PRODUCT	FINISH	LIST PRICE
DL2800	US26D	\$1,078.00
Standard key override	US3 & US10B	\$1,171.00
DL2875		
Standard key override	US26D	\$1,102.00
Regal (curved) lever	US3 & US10B	\$1,188.00
DL2800IC*	US26D	\$1,102.00
Interchangeable core	US3 & US10B	\$1,188.00
DL2875IC*		·
Interchangeable core	US26D	\$1,124.00
Regal (curved) lever	US3 & US10B	\$1,206.00
DL2800SK	Mounted DL2800 demo	Call Factory
AL-DTMIII	Data Transfer Module	\$448.00
	Computer interface cable for	
AL-PCI2	Serial connection includes	\$129.00
	DL-Windows Software	
	USB computer interface cable	
ALPCI2-U	includes DL-Windows software	\$237.00
MX1130	USB Converter	\$118.00
AL-IR1	Infrared Printer	\$520.00

^{*}Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. **MUST SPECIFY 7 PIN FOR CORBIN AND YALE**





TRILOGY ELECTRONIC DIGITAL LOCKS

DL3000 SERIES – Electronic battery operated digital lock. Holds up to 300 codes, Master, Management, Supervisor & basic user. 150 event schedule, real time clock & 1,600 event audit trail.

SPECIFICATIONS:



Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness,

please consult factory

Backset: 2 3/4" (2 3/8" also available)

Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"

ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw

reversible

Handing: Non-handed

Power: 5 AA alkaline batteries (included)

Keypad: All metal, 12 button. All functions programmed

through keypad.

Door prep: Standard ANSI A115 Series prep, modified by

adding additional through-bolt holes

Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset.

UL listed 10C Positive Pressure Specification. FCC

Certified . ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all

key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangeable Standard model accepts 6 & 7 pin cylinders from
Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks.

IC core models prepped for 6 & 7 pin Yale, Medeco,

Sargent, Corbin-Russwin & Schlage are also available.

Extended sizes:

WP standard and SFIC cylinder preps can be extended for thicker doors.

\$165.00 add on to list for extended lock.

Extended lock legend:

W54 - 2 1/8"

W57 - 2 1/4" W57 - 2 1/4" W60 - 2 3/8" W64 - 2 1/2" W70 - 2 3/4"

W76 - 3" W83 - 3 1/4" W89 - 3 1/2"

Note: Locks can be adjusted by +/- 1/8" by adding or removing

spacers.

PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS SPECIFY "WP" FOR WEATHER RISISTENT MODEL

PRODUCT	FINISH	LIST PRICE
DL3000	US26D	\$1,309.00
Standard key override	US3 & US10B	\$1,400.00
DL3075		
Standard key override	US26D	\$1,303.00
Regal (curved) lever	US3 & US10B	\$1,378.00
DL3000IC*	US26D	\$1,303.00
Interchangeable core	US3 & US10B	\$1,378.00
DL3075IC*		
Interchangeable core	US26D	\$1,328.00
Regal (curved) lever	US3 & US10B	\$1,400.00
DL3000WP	US26D	\$1,337.00
Weather proof key override	US3 & US10B	\$1,405.00
DL3075WP		
Weather proof key override	US26D	\$1,360.00
Regal (curved) lever	US3 & US10B	\$1,405.00
DL3000WPIC*	US26D	\$1,360.00
Weather proof interchangeable core	US3 & US10B	\$1,428.00
DL3075WPIC*		
Weather proof interchangeable core	US26D	\$1,366.00
Regal (curved) lever	US3 & US10B	\$1,404.00
DL3000SK	Mounted DL3000 demo	Call Factory
AL-DTMIII	Data Transfer Module	\$448.00
	Computer interface cable for serial	
AL-PCI2	connection with DL-Windows Software	\$129.00
	USB computer interface cable	
ALPCI2-U	includes DL-Windows software	\$237.00
MX1130	USB Converter	\$118.00
AL-IR1	Infra red Printer	\$520.00

^{*}Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above**MUST SPECIFY 7 PIN FOR CORBIN AND YALE**



TRILOGY ELECTRONIC DIGITAL LOCKS

DL3200 SERIES – Electronic battery operated digital lock. Holds up to 2,000 codes, Master, Management, Supervisor & basic user. 500 event schedule, multiple "one-time" user codes & 40,000 event audit trail.

SPECIFICATIONS:



Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness,

please consult factory

Backset: 2 3/4" (2 3/8" also available)

Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"

ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw reversible

Handing: Non-handed

Power: 5 AA alkaline batteries (included)

Keypad: All metal, 12 button. All functions programmed

through keypad.

Door prep: Standard ANSI A115 Series prep, modified by

adding additional through-bolt holes

Compliances: BHMA Certified Grade 1 heavy duty cylindrical

lockset.

UL listed 10C Positive Pressure Specification. FCC

Certified . ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all

key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangeable Standard model accepts 6 & 7 pin cylinders from

Core Models Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks.

IC core models prepped for 6 & 7 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available

Extended sizes:

Standard and SFIC cylinder preps can be extended for thicker doors.

\$165.00 add on to list for

extended lock.

Extended lock legend:

W54 - 2 1/8" W57 - 2 1/4" W60 - 2 3/8" W64 - 2 1/2"

W70 - 2 3/4" W76 - 3" W83 - 3 1/4" W89 - 3 1/2"

Note: Locks can be adjusted by +/- 1/8" by

adding or removing

spacers.

ALL DL3200 LOCKS ARE WEATHER RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS

PRODUCT	FINISH	LIST PRICE
DL3200	US26D	\$1,342.00
Standard key override	US3 & US10B	\$1,423.00
DL3275		
Standard key override	US26D	\$1,371.00
Regal (curved) lever	US3 & US10B	\$1,446.00
DL3200IC*	US26D	\$1,351.00
Interchangeable core	US3 & US10B	\$1,446.00
DL3275IC*		
Interchangeable core	US26D	\$1,388.00
Regal (curved) lever	US3 & US10B	\$1,457.00
DL3200SK	Mounted DL3200 demo	Call Factory
AL-DTMIII	Data Transfer Module	\$448.00
	Computer interface cable for serial	
AL-PCI2	connection with DL-Windows Software	\$129.00
	USB computer interface cable	
ALPCI2-U	includes DL-Windows software	\$237.00
MX1130	USB Converter	\$118.00
AL-IR1	Infrared Printer	\$520.00

^{*}Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above **MUST SPECIFY 7 PIN FOR CORBIN AND YALE**



TRILOGY ELECTRONIC DOUBLE SIDED DIGITAL LOCKS

DL5300 SERIES — Double sided electronic battery operated digital lock. Holds up to 2,000 codes, Master, Management, Supervisor & basic user. 500 event schedule, multiple "one-time" user codes & 40,000 event audit trail. Programmable keypad on both sides of the door. Only primary keypad has data transfer capability. Key override is only operable on the primary side. The key on the secondary side is used only to remove the lever and access the batteries.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness,

please consult factory

Backset: 2 3/4" (2 3/8" also available)

Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"

ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw

reversible

Handing: Non-handed

Power: 5 AA alkaline batteries (included)

Keypad: All metal, 12 button. All functions programmed

through keypad on both sides of

Door prep: Standard ANSI A115 Series prep, modified by

adding additional through-bolt holes

Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset.

UL listed 10C Positive Pressure Specification. FCC

Certified . ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all

key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangeable Standard model accepts 6 & 7 pin cylinders from

Core Models Best, Falcon, and Arrow only.

ALL DL5300 LOCKS ARE WEATHER RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES

PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PR		
PRODUCT	FINISH	LIST PRICE
DL5300	US26D	\$1,869.00
Standard key override	US3 & US10B	\$1,918.00
DL5375		
Standard key override	US26D	\$1,884.00
Regal (curved) lever	US3 & US10B	\$1,952.00
DL5300IC	US26D	\$1,874.00
Interchangeable core	US3 & US10B	\$1,974.00
DL5375IC		
Interchangeable core	US26D	\$1,883.00
Regal (curved) lever	US3 & US10B	\$1,986.00
DL5300SK	Mounted DL5300 demo	Call Factory
AL-DTMIII	Data Transfer Module	\$448.00
	Computer interface cable for serial	
AL-PCI2	connection with DL-Windows Software	\$129.00
	USB computer interface cable	
ALPCI2-U	includes DL-Windows software	\$237.00
MX1130	USB Converter	\$118.00
AL-IR1	Infra red Printer	\$520.00

Note: Key override operates latch on primary side only. Key override on secondary side protects the battery pack.



Extended sizes:

thicker doors.

extended lock.

W54 - 2 1/8"

W57 - 2 1/4"

W60 - 2 3/8"

W64 - 2 1/2"

W70 - 2 3/4"

W83 - 3 1/4"

W89 - 3 1/2"

Note: Locks can be

adding or removing

adjusted by +/- 1/8" by

W76 - 3"

spacers.

Standard and SFIC cylinder

preps can be extended for

\$165.00 add on to list for

Extended lock legend:

Price Book 2017

TRILOGY ELECTRONIC DIGITAL LOCKS WITH PRIVACY & RESIDENCY FEATURES

DL4100 SERIES - Electronic battery operated digital lock. Holds up to 2000 codes, Master,

Management, Supervisor & basic user. Multiple "one-time" user codes. 500 event schedule, real time clock & 40,000 event audit trail. Privacy feature will lock out all users for programmed amount of time. Residency feature-allows

exiting without having to lock the door.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness,

please consult factory

Backset: 2 3/4" (2 3/8" also available)

Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"

ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw reversible

Handing: Non-handed

Power: 5 AA alkaline batteries (included)

Keypad: Weatherproof all metal, 12 button. All functions

programmed through keypad.

Door prep: Standard ANSI A115 Series prep, modified by

adding additional through-bolt holes
Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset.

UL listed 10C Positive Pressure Specification. FCC

Certified . ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all

key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangeable Core Models:

Standard model accepts 6 & 7 pin cylinders from

Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for **6 and 7 pin** Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available

ALL DL4100 LOCKS ARE WEATHER RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES

ON SPECIAL FINISHES AND IC PREPS		
PRODUCT	FINISH	LIST PRICE
DL4100	US26D	\$1,026.00
Standard key override	US3 & US10B	\$1,096.00
DL4175		
Standard key override	US26D	\$1,050.00
w/Regal (curved) lever	US3 & US10B	\$1,119.00
DL4100IC*	US26D	\$1,050.00
Interchangeable core prepped for Best®	US3 & US10B	\$1,119.00
DL4175IC*		
Interchangeable core prepped for Best®	US26D	\$1,067.00
W/Regal (curved) lever	US3 & US10B	\$1,142.00
DL4100SK	Mounted DL4100 Demo	Call Factory
AL-PCI2	Computer interface cable for serial connection includes DL-Windows software	\$129.00
	USB computer interface cable	
ALPCI2-U	includes DL-Windows software	\$237.00
MX1130	USB Converter	\$118.00
AL-IR1	Infra-red Printer	\$520.00
AL-DTMIII	Data Transfer Module	\$448.00

^{*}Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above.





TRILOGY ELECTRONIC DIGITAL PROXIMITY LOCKS

PDL3000 SERIES - Electronic battery operated digital proximity lock. Holds up to 2000 codes, Master,
Management, Supervisor & basic user. Multiple "one-time" user codes. 500 event schedule,
real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats.

SPECIFICATIONS:

DDODLICT

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness,

please consult factory

Backset: 2 3/4" (2 3/8" also available)

Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"

ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw reversible

Handing: Non-handed

Power: 5 AA alkaline batteries (included)

Keypad: Weatherproof all metal, 12 button. All functions

programmed through keypad. Proximity antenna housing molded of ultra high strength, impact resistant Lexan®

Door prep: Standard ANSI A115 Series prep, modified by

adding additional through-bolt holes

Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset.

UL listed 10C Positive Pressure Specification. FCC

Certified . ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all

key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangeable Standard model accepts 6 & 7 pin cylinders from
Core Models Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks.

IC core models prepped for 6 and 7 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available

Extended sizes:

Standard and SFIC cylinder preps can be extended for

thicker doors.

\$165.00 add on to list for extended lock.

Extended lock legend:

W54 - 2 1/8" W57 - 2 1/4" W60 - 2 3/8" W64 - 2 1/2" W70 - 2 3/4"

W76 - 3" W83 - 3 1/4" W89 - 3 1/2"

I ICT DDICE

Note: Locks can be adjusted by +/- 1/8" by adding or removing spacers.

ALL PDL3000 LOCKS ARE WEATHER RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS

EINICH

PRODUCT	FINISH	LIST PRICE
PDL3000K	US26D	\$1,861.00
Key override audit trail	US10B	\$1,927.00
PDL3000	US26D	\$1,836.00
Standard key override	US3 & US10B	\$1,916.00
PDL3075		
Standard key override	US26D	\$1,866.00
Regal (curved) lever	US3 & US10B	\$1,939.00
PDL3000IC*	US26D	\$1,866.00
Interchangeable core	US3 & US10B	\$1,939.00
PDL3075IC*		
Interchangeable core	US26D	\$1,886.00
Regal (curved) lever	US3 & US10B	\$1,939.00
PDL3000SKLE	Mounted PDL3000 demo	Call Factory
	Computer interface cable for serial	***
AL-PCI2	Connection includes DL-Windows	\$129.00
	Software	
ALPCI2-U	USB computer interface cable	\$237.00
1671120	includes DL-Windows software	#110.00
MX1130	USB Converter	\$118.00
AL-IR1	Infra-red Printer	\$520.00
AL-DTMIII	Data Transfer Module	\$448.00
AL-PRE	Prox Card Enroller	\$590.00
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00
	Proximity, Magnetic Stripe and Photo	
ALHID1336	ID cards 100 per box	\$1,030.00
	Proximity and Photo ID	
ALHID1386	Card 100 per box	\$927.00
ALHID1391	MicroProx Tag 10 per box	\$ 80.00
ALHID1346	Proximity keyfob 10 per box	\$118.00
***************************************	((DM e C	. 1 641 . 1 6

^{*}Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. **MUST SPECIFY 7 PIN FOR CORBIN AND YALE**



TRILOGY ELECTRONIC DOUBLE SIDED DIGITAL PROXIMITY LOCKS

PDL5300 SERIES — Double sided electronic battery operated digital proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. Multiple "one-time" user codes. 500 event schedule, 40,000 event audit trail. Programmable keypad on both sides of the door. Only primary keypad has data transfer capability Will read most HID card and keyfob formats. Key override is only operable on the primary side. The key on the secondary side is use only to remove the lever and access the batteries.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness,

please consult factory

Backset: 2 3/4" (2 3/8" also available)

Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"

ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw

reversible

Handing: Non-handed

Door prep:

Interchangeable

Power: 5 AA alkaline batteries (included)

Keypad: Weatherproof all metal, 12 button. All functions

programmed through keypad. Proximity antenna housing molded of ultra high strength, impact resistant Lexan®

Standard ANSI A115 Series prep, modified by

adding additional through-bolt holes

Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset.

UL listed 10C Positive Pressure Specification. FCC

Certified . ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all

key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders

can also be used with HW620 tailpiece (supplied) Standard model accepts 6 & 7 pin cylinders from

Core Models Best, Falcon, and Arrow.

ALL PDL5300 LOCKS ARE WEATHER RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES

PRODUCT	FINISH	LIST PRICE
PDL5300	US26D	\$2,228.00
Standard key override	US3 & US10B	\$2,295.00
PDL5375		
Standard key override	US26D	\$2,251.00
Regal (curved) lever	US3 & US10B	\$2,324.00
PDL5300IC	US26D	\$2,245.00
Interchangeable core	US3 & US10B	\$2,287.00
PDL5375IC		
Interchangeable core	US26D	\$2,273.00
Regal (curved) lever	US3 & US10B	\$2,314.00
PDL5300SK	Mounted PDL3000 demo	Call Factory
	Computer interface cable for serial	
AL-PCI2	Connection includes DL-Windows	\$129.00
ALPCI2-U	USB computer interface cable	\$237.00
	includes DL-Windows software	
MX1130	USB Converter	\$118.00
AL-IR1	Infra-red Printer	\$520.00
AL-DTMIII	Data Transfer Module	\$448.00
AL-PRE	Prox Card Enroller	\$590.00
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00
	Proximity, Magnetic Stripe and Photo	
ALHID1336	ID cards 100 per box	\$1,030.00
	Proximity and Photo ID	
ALHID1386	Card 100 per box	\$927.00
ALHID1391	MicroProx Tag 10 per box	\$82.00
ALHID1346	Proximity keyfob 10 per box	\$118.00

Note: Key override operates latch on primary side only. Key override on secondary side protects the battery pack.





TRILOGY ELECTRONIC DIGITAL PROXIMITY LOCKS

PL3000 SERIES - Electronic battery operated proximity only lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. Multiple "one-time" user codes. 500 event schedule, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness,

please consult factory

Backset: 2 3/4" (2 3/8" also available)

Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"

ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw

reversible

Handing: Non-handed

Power: 5 AA alkaline batteries (included)
Programming: 9 prox programming cards included

Door prep: Standard ANSI A115 Series prep, modified by

adding additional through-bolt holes

Compliances: BHMA certified Grade 1 heavy duty cylindrical lockset.

UL listed to the 10C Positive Pressure Specification.

FCC Certified. ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all

key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangeable Standard model accepts 6 & 7 pin cylinders from

Core Models Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks.

IC core models prepped for 6 and 7 pin Yale, Medeco,

Sargent, Corbin-Russwin & Schlage are also available

ALL PL3000 PROXIMITY LOCKS ARE WEATHER-RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS

Extended sizes:

Standard and SFIC cylinder preps can be extended for thicker doors.

\$165.00 add on to list for extended lock.

Extended lock legend:

W54 - 2 1/8" W57 - 2 1/4"

W60 - 2 3/8" W64 - 2 1/2" W70 - 2 3/4"

W76 - 3" W83 - 3 1/4" W89 - 3 1/2"

Note: Locks can be adjusted by +/- 1/8" by adding or removing

spacers.

FINISH	LIST PRICE
US26D	\$1,836.00
US3 & US10B	\$1,916.00
US26D	\$1,866.00
US3 & US10B	\$1,939.00
US26D	\$1,866.00
US3 & US10B	\$1,939.00
US26D	\$1,886.00
US3 & US10B	\$1,939.00
Mounted PL3000 Demo	Call Factory
Computer interface cable for serial connection includes DL-Windows software	\$129.00
USB computer interface cable	\$237.00
includes DL-Windows software	
USB Converter	\$118.00
Infra-red Printer	\$520.00
Data Transfer Module	\$448.00
Prox Card Enroller	\$590.00
Proximity Access Cards 100 Per Box	\$505.00
Proximity, Magnetic Stripe and Photo ID cards 100 per box Proximity and Photo ID	\$1,030.00
	\$927.00
	\$82.00
	\$118.00
	US26D US3 & US10B Mounted PL3000 Demo Computer interface cable for serial connection includes DL-Windows software USB computer interface cable includes DL-Windows software USB Converter Infra-red Printer Data Transfer Module Prox Card Enroller Proximity Access Cards 100 Per Box Proximity, Magnetic Stripe and Photo

^{*}Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. **MUST SPECIFY 7 PIN FOR CORBIN AND YALE**





Extended sizes:

thicker doors.

extended lock.

W54 - 2 1/8"

W57 - 2 1/4"

W60 - 2 3/8"

W64 - 2 1/2"

W70 - 2 3/4"

W83 - 3 1/4"

W89 - 3 1/2"

Note: Locks can be

adding or removing

adjusted by +/- 1/8" by

W76 - 3"

spacers.

Standard and SFIC cylinder

preps can be extended for

\$165.00 add on to list for

Extended lock legend:

TRILOGY ELECTRONIC DIGITAL PROXIMITY LOCKS WITH PRIVACY & RESIDENCY FEATURES

PDL4100 SERIES - Electronic battery operated digital proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. Multiple "one-time" user codes. 500 event schedule, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats. Privacy feature will lock out all users for a programmed amount of time. Residency feature-allows exiting without having to lock the door.

SPECIFICATIONS:

Cylinder:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness,

please consult factory

2 3/4" (2 3/8" also available) Backset:

1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8" Strike:

ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw

reversible

Handing: Non-handed

5 AA alkaline batteries (included) Power:

Weatherproof all metal, 12 button. All functions Keypad:

programmed through keypad. Proximity antenna housing molded of ultra high strength, impact resistant Lexan®

Door prep: Standard ANSI A115 Series prep, modified by

adding additional through-bolt holes

Compliances: BHMA certified Grade 1 heavy duty cylindrical lockset.

UL listed to the 10C Positive Pressure Specification.

FCC certified . ADA compliant levers

6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangeable Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Core Models:

Peaks.

IC core models prepped for 6 pin and 7 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available

ALL PDL4100 LOCKS ARE WEATHER-RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS

PRODUCT	FINISH	LIST PRICE
	US26D	\$1,492.00
PDL4100	US3 & US10B	\$1,578.00
	US26D	\$1,508.00
PDL4175	US3 & US10B	\$1,612.00
	US26D	\$1,508.00
PDL4100IC*	US3 & US10B	\$1,612.00
	US26D	\$1,543.00
PDL4175IC*	US3 & US10B	\$1,612.00
PDL4100SK	Mounted PDL4100 demo	Call Factory
	Computer interface cable for serial	
AL-PCI2	connection Includes DL-Windows	\$129.00
ALPCI2-U	USB computer interface cable	\$237.00
	includes DL-Windows software	
MX1130	USB Converter	\$118.00
AL-IR1	Infra-red Printer	\$520.00
AL-DTMIII	Data Transfer Module	\$448.00
AL-PRE	Prox Card Enroller	\$590.00
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00
	Proximity, Magnetic Stripe and Photo	
ALHID1336	ID cards 100 per box	\$1,030.00
	Proximity and Photo ID	
ALHID1386	Card 100 per box	\$927.00
ALHID1391	MicroProx Tag 10 per box	\$82.00
ALHID1346	Proximity keyfob 10 per box	\$118.00

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. **MUST SPECIFY 7 PIN FOR CORBIN AND





TRILOGY CYLINDRICAL LOCK PARTS

Part Number	Description	List Price
S6054	Complete Outside housing for DL2700WP available finishes 26D, 3, & 10B	\$358.00
S6126	Complete outside housing for DL2800WP available finishes 26D, 3, & 10B	\$457.00
S6047	Complete outside housing for DL3000WP available finishes 26D, 3, & 10B	\$696.00
S6122	Complete outside housing for PDL3000 available finishes 26D, 3, & 10B	\$1,087.00
S6163	Complete outside housing for DL4100 available finishes 26D, 3, & 10B	\$524.00
S6164	Complete outside housing for PDL4100 available finishes 26D, 3, & 10B	\$893.00
S6045	Standard key override lock body complete	\$326.00
S6046	Best prep interchangeable core lock body complete	\$326.00
S6045-C/R	Corbin/Sargent prep interchangeable core lock body complete	\$358.00
S6045-Y/M	Yale/Medeco prep interchangeable core lock body complete	\$358.00
S6045-S	Schlage prep interchangeable core lock body complete	\$358.00
HW614C	Outside lever standard prep available finishes 26D, 3, & 10B	\$37.00
HW616C	Outside lever Best IC prep available finishes 26D, 3, & 10B Inside lever for all cylindrical locks	\$37.00
HW615D	available finishes 26D, 3, & 10B Battery Cover available finishes 26D, 3,	\$37.00
HW592G	& 10B Latch bolt 2 ³ / ₄ " available finishes 26D, 3,	\$21.00
P5849 S5980-1	& 10B Latch bolt 2 3/8" 26D finish	\$26.00 \$26.00
S5980-2	Latch bolt 2 3/8" US5 finish	\$26.00
HW470	4 7/8" strike available 26D, 3, & 10B	\$15.00
HW577	2 3/4" strike available finishes 26D, 3, & 10B	\$16.00
HW596F	Standard cylinder w/2 keys available finishes 26D, 3, & 10B	\$26.00
S6148	Lever return spring	\$5.00
S6061	Replacement battery pack cylindrical	\$47.00
S6172	Replacement battery pack Double sided	\$30.00
HW580	Schlage® key override tailpiece for Cylindrical locks	\$11.00
HW620D	Lori® key override tailpiece for Cylindrical locks	\$11.00
HW597E	Alarm Lock cylindrical key override tailpiece	\$11.00
HW598D	Cylindrical Interchangeable core Tailpiece Best prep	\$11.00
S6070	IC tailpiece bag assembly w/washer Specify for the following: S – Schalge, B – Best, R – Sargent, M – Medeco, Y – Yale, C – Corbin	\$16.00
MX942	Replacement DTM cable	\$20.00
		~=~··~



TRILOGY CYLINDRICAL LOCK PARTS (con't)

Part Number	Description	List Price
WA160C	Washer used on HW620, HW597C & HW598D	\$3.00
S6072	Set of spacers for doors 1 3/8" or less	\$70.00
CW-27AB	Wrap around plate in US5	\$65.00
CW-27PB	Wrap around plate in US3	\$70.00
CW-27S	Wrap around plate US32D	\$70.00
DL2700DJ	Drilling Jig for cylindrical locks	\$405.00

TRILOGY LOCK ACCESSORIES

	0 116 11	
	Computer interface cable for serial	
AL-PCI2	Connection includes DL-Windows	\$129.00
	Software	
ALPCI2-U	USB computer interface cable	\$237.00
	includes DL-Windows software	
MX1130	USB Converter	\$118.00
AL-IR1	Infra-red Printer	\$520.00
AL-DTMIII	Data Transfer Module	\$448.00
AL-PRE	Prox Card Enroller	\$590.00
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00
	Proximity, Magnetic Stripe and Photo	
ALHID1336	ID cards 100 per box	\$1,030.00
	Proximity and Photo ID	
ALHID1386	Card 100 per box	\$927.00
ALHID1391	MicroProx Tag 10 per box	\$82.00
ALHID1346	Proximity keyfob 10 per box	\$118.00
	Trilogy DL-Windows and Networx	
	Connectivity software training videos	
	divided into 4 easy to follow sections	
ALTRAINDVD	conducted into a classroom style	\$0.00 + \$15.95 shipping and handling
	environment. Training videos cover	charge. Please contact customer service at
	basics, getting started, schedules and	1-800-ALA-LOCK to place your order via
	times zones, programming Trilogy locks	credit card, or email
	via a laptop and the DTM along with how	sales@alarmlock.com
	to connect and bring Networx on line.	



TRILOGY & NETWORX REMOTE RELEASE PRODUCTS











PRODUCT	DESCRIPTION	LIST PRICE
RR-TRILOGYKIT	Remote release kit for all Trilogy Cylindrical models includes the RR- 1BUTTON for desk mount applications and RR-RECEIVER which is designed to be installed inside the battery compartment next to the battery pack of any cylindrical Trilogy lock. The RR- RECEIVER connects to the 2 white remote release wires inside the battery compartment and to the black and red battery pack wires to power the receiver. These kits will retro fit to any existing cylindrical Trilogy manufactured since 1994.	\$221.00
RR-RECEIVER	RR-RECEIVER is designed to be installed next to the battery pack of any cylindrical Trilogy lock. The RR-RECEIVER connects to the 2 white remote release wires and to the black and red battery pack wires and will retro fit to any existing cylindrical Trilogy manufactured since 1994. You will need to purchase separately either an RR-1BUTTON OR 4BKEYFOB to activate	\$128.00
RR-1BUTTON	the receiver Remote release desk mounted button designed to be used with any existing Networx lock enrolled with a simple keypad program. Must update the firmware of your existing Networx Lock. Also can be used with an RR-RECEIVER to any existing Trilogy Cylindrical Lock, RR-RECEIVER sold separately.	\$92.00
RR-4BKEYFOB	Remote release 4 button key fob designed to be used with any existing Networx lock enrolled with a simple keypad program. Must update the firmware of your existing Networx Lock. Also can be used with an RR-RECEIVER to any existing Trilogy Cylindrical Lock, RR-RECEIVER sold separately.	\$103.00
RR-MORTISEKIT RR-EXITTRIMKIT	Remote release kit for Mortise Locks Remote release kit for Exit Trim Locks *Both include RR-1BUTTON and RECEIVER mounted on a Lexan battery cover.*	\$242.00 \$242.00

Note: The Remote Release Products follow the Networx Discount Structure. Will not work with Narrow Stile series locksets.



TRILOGY ELECTRONIC DIGITAL MORTISE LOCKS

DL3500 SERIES - Electronic battery operated digital mortise lock. Holds up to 300 codes, Master, Management, Supervisor & basic user. 500 event schedule, real time clock & 40,000 event audit trail.

SPECIFICATIONS:

Door Thickness: Fits 1 3/8" to 1 7/8" (4.46cm).

Backset: 2 3/4" standard

Strike: 1 1/4" x 4 7/8" strike included

Handing: Specify RH or LH when ordering, lock is reversible

In the field

Power: 5 AA alkaline batteries (included)

Keypad: All metal, 12 button. All functions programmed

through keypad.

Door prep: Standard ANSI A115 Mortise prep, modified by

adding additional through-bolt holes

Compliances: Steelcase lock body meets BHMA specifications

For Grade 1 locks. UL listed to the 10C Positive Pressure Specification. FCC Certified. ADA

compliant levers

Functions: Classroom function feature stainless steel latchbolt

With 3/4" (1.91cm) projection and deadlocking latch Deadbolt function feature stainless steel deadbolt with 1" (2.55cm) projection, latchbolt with 3/4" (1.91cm) projection and deadlocking latch Deadbolt may be projected from key cylinder from outside door or

turn-piece from inside door

Cylinder: 1 3/8" (3.5cm) mortise cylinder supplied. Will

Accept 1 3/8" to 1 1/2" (3.5 – 3.82cm) mortise Cylinder. Classroom function supplied with straight Cam and deadbolt function supplied with cloverleaf

Cam

Cams: Cams for other manufacturer's cylinders are available

See "Mortise Lock accessories" for part numbers &

Manufacturers

ALL DL3500 MORTISE LOCKS ARE WEATHER-RESISTANT PLEASE CHECK WITH FACTORY ON LEAD TIMES FOR SPECIAL FINISHES

PRODUCT	FINISH	LIST PRICE
DL3500CRR		
Straight lever classroom function	US26D	\$1,516.00
Right hand	US3 & US10B	\$1,590.00
DL3500CRL		
Straight lever classroom function	US26D	\$1,516.00
Left Hand	US3 & US10B	\$1,590.00
DL3500DBR		
Straight lever deadbolt function	US26D	\$1,516.00
Right hand	US3 & US10B	\$1,590.00
DL3500DBL		
Straight lever deadbolt function	US26D	\$1,516.00
Left Hand	US3 & US10B	\$1,590.00
DL3575CRR		
Regal (curved) lever classroom	US26D	\$1,532.00
Function right hand	US3 & US10B	\$1,606.00
DL3575CRL		
Regal (curved) lever classroom	US26D	\$1,532.00
Function left hand	US3 & US10B	\$1,606.00
DL3575DBR		,
Regal (curved) lever deadbolt	US26D	\$1,532.00
Function right hand	US3 & US10B	\$1,606.00
DL3575DBL		·
Regal (curved) lever deadbolt	US26D	\$1,532.00
Function left hand	US3 & US10B	\$1,606.00





TRILOGY ELECTRONIC DIGITAL MORTISE LOCKS (con't)

PRODUCT	DESCRIPTION	LIST PRICE
DL3500SK	Mounted sales kit, straight lever. Available in classroom or deadbolt function.	Call Factory
AL-DTMIII	Data Transfer Module	\$448.00
AL-PC12	Computer interface cable for serial connection includes DL-Windows software	\$129.00
ALPCI2-U	USB computer interface cable includes DL-Windows software	\$237.00
MX1130	USB Converter	\$118.00
AL-IR1	Infra red Printer	\$520.00
ALTRAINDVD	Trilogy DL-Windows and Networx Connectivity software training videos divided into 4 easy to follow sections conducted into a classroom style environment. Training videos cover basics, getting started, schedules and times zones, programming Trilogy locks via a laptop and the DTM along with how to connect and bring Networx on line.	\$0.00 + \$15.95 shipping and handling charge. Please contact customer service at 1-800-ALA-LOCK to place your order via credit card, or email sales@alarmlock.com

MORTISE LOCK PARTS

CLASSROOM FUNCTION CAMS	DESCRIPTION	LIST PRICE
HW956-L	Alarm Lock Standard Straight Cam	\$5.00
HW956-M	Marks Straight Cam	\$5.00
HW956-C	Corbin-Russwin Straight Cam	\$5.00
HW956-S	Schlage Straight Cam	\$5.00
HW956-A	Arrow Straight Cam	\$5.00
HW956-R	Sargent Straight Cam	\$5.00
DEADBOLT FUNCTION CAMS		
HW957-L	Alarm Lock Standard Cloverleaf Cam	\$5.00
HW957-M	Marks Cloverleaf Cam	\$5.00
HW957-C	Corbin-Russwin Cloverleaf Cam	\$5.00
HW957-S	Schalge Cloverleaf Cam	\$5.00
HW957-A	Arrow Cloverleaf Cam	\$5.00
HW957-R	Sargent Cloverleaf Cam	\$5.00
HW1141	Schlage IC Cloverleaf Cam	\$5.00

S6123	DL3500 complete outside housing available in 26D, US3 & US10B	\$1,008.00
S6175	Replacement lever support spring	\$3.00
S6192	Lever and spring upgrade kit Standard lever – 26D, 10B, US3	\$54.00
S6193	Lever and spring upgrade kit Regal lever – 26D, 10B, US3	\$80.00
HW904DBR	Right hand deadbolt lock body	\$171.00
HW903DBL	Left hand deadbolt lock body	\$171.00
HW870CRL	Left Hand Classroom lock body	\$171.00
HW875CRR	Right hand Classroom lock body	\$171.00
S6065	Replacement Battery Pack	\$38.00



TRILOGY ELECTRONIC DIGITAL MORTISE LOCKS WITH PRIVACY & RESIDENCY FEATURES

DL4500 SERIES - Electronic battery operated digital proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. 500 event schedule, real time clock & 40,000 event audit trail. Privacy feature will lock out all users for programmed amount of time. Residency feature-allows exiting without having to lock the door.

SPECIFICATIONS:

Door Thickness: Fits 1 3/8" to 1 7/8" (4.46cm).

Backset: 2 3/4" standard

Strike: 1 1/4" x 4 7/8"strike included

Handing: Specify RH or LH when ordering, lock is reversible

In the field

Power: 5 AA alkaline batteries (included)

Keypad: All metal, 12 button. All functions programmed

through keypad.

Door prep: Standard ANSI A115 Mortise prep, modified by

adding additional through-bolt holes

Compliances: Steelcase lockbody meets BHMA specifications

For Grade 1 locks. UL listed to the 10C Positive Pressure Specification. FCC Certified. ADA

compliant levers

Functions: Deadbolt function feature stainless steel deadbolt with

1" (2.55cm) projection, latchbolt with 3/4" (1.91cm) projection and deadlocking latch Deadbolt may be projected from key cylinder from outside door or

turn-piece from inside door

Cylinder: 1 3/8" (3.5cm) mortise cylinder supplied. Will

Accept 1 3/8" to 1 1/2" (3.5 – 3.82cm) mortise Cylinder. Deadbolt function supplied with cloverleaf

Cam

Cams: Cams for other manufacturer's cylinders are available

See "Mortise Lock accessories" for part numbers &

Manufacturers

ALL DL4500 LOCKS ARE WEATHER-RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES

PRODUCT	FINISH	LIST PRICE	
DL4500DBR			
Straight lever deadbolt function	US26D	\$1,142.00	
Right hand	US3 & US10B	\$1,216.00	
DL4500DBL			
Straight lever deadbolt function	US26D	\$1,142.00	
Left Hand	US3 & US10B	\$1,216.00	
DL4575DBR			
Regal (curved) lever deadbolt	US26D	\$1,164.00	
Function right hand	US3 & US10B	\$1,233.00	
DL4575DBL		·	
Regal (curved) lever deadbolt	US26D	\$1,164.00	
Function left hand	US3 & US10B	\$1,233.00	
	Computer interface cable for serial	·	
AL-PCI2	connection includes DL-Windows	\$129.00	
	software		
	Computer interface cable for serial and		
ALPCI2-U	USB computer interface cable includes	\$237.00	
	DL-Windows software		
MX1130	USB Converter	\$118.00	
AL-IR1	Infra-red Printer	\$520.00	
AL-DTMIII	Data Transfer Module	\$448.00	
DL4500SK	Mounted DL4500 Demo	Call Factory	





TRILOGY ELECTRONIC PROXIMITY MORTISE LOCKS

PDL3500/PL3500 - Electronic battery operated digital mortise lock. Holds up to 2000 user codes, Master, Management, Supervisor & basic user. 500 scheduled events, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats.

SPECIFICATIONS:

Door Thickness: Fits 1 3/8" to 1 7/8" (4.46cm).

Backset: 2 3/4" standard

Strike: 1 1/4" x 4 7/8"strike included

Handing: Specify RH or LH when ordering, lock is reversible

In the field

Power: 5 AA alkaline batteries (included)

Keypad: Weatherproof all metal, 12 button. All functions

programmed through keypad. Proximity antenna housing molded of ultra high strength, impact resistant Lexan®

Door prep: Standard ANSI A115 Mortise prep, modified by

adding additional through-bolt holes

Compliances: Steelcase lockbody meets BHMA specifications

For Grade 1 locks. UL listed to the 10C Positive Pressure Specification. FCC Certified. ADA

compliant levers

Functions: Classroom function feature stainless steel latchbolt

With 3/4" (1.91cm) projection and deadlocking latch Deadbolt function feature stainless steel deadbolt with 1" (2.55cm) projection, latchbolt with 3/4" (1.91cm) projection and deadlocking latch Deadbolt may be projected from key cylinder from outside door or

turn-piece from inside door

Cylinder: 1 3/8" (3.5cm) mortise cylinder supplied. Will

Accept 1 1/4" to 1 1/2" (3.5 – 3.82cm) mortise Cylinder. Classroom function supplied with straight Cam and deadbolt function supplied with cloverleaf

Cam

Cams: Cams for other manufacturer's cylinders are available

See "Mortise Lock accessories" for part numbers &

Manufacturers

ALL PDL3500 LOCKS ARE WEATHER-RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES

PRODUCT	FINISH	LIST PRICE
PDL3500CRR		
Straight lever classroom function	US26D	\$1,940.00
Right hand	US3 & US10B	\$2,020.00
PDL3500CRL		
Straight lever classroom function	US26D	\$1,940.00
Left Hand	US3 & US10B	\$2,020.00
PDL3500DBR		
Straight lever deadbolt function	US26D	\$1,940.00
Right hand	US3 & US10B	\$2,020.00
PDL3500DBL		
Straight lever deadbolt function	US26D	\$1,940.00
Left Hand	US3 & US10B	\$2,020.00
PDL3575CRR		
Regal (curved) lever classroom	US26D	\$1,956.00
Function right hand	US3 & US10B	\$2,037.00
PDL3575CRL		
Regal (curved) lever classroom	US26D	\$1,956.00
Function left hand	US3 & US10B	\$2,037.00





TRILOGY ELECTRONIC PROXIMITY MORTISE LOCKS (con't) PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES

PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES			
PRODUCT	DESCRIPTION	LIST PRICE	
PDL3575DBR			
Regal (curved) lever deadbolt	US26D	\$1,956.00	
Function right hand	US3 & US10B	\$2,037.00	
PDL3575DBL			
Regal (curved) lever deadbolt	US26D	\$1,956.00	
Function left hand	US3 & US10B	\$2,037.00	
	Mounted sales kit, straight lever.		
PDL3500SK/26D	Available in classroom or deadbolt	Call Factory	
	function.		
PL3500CRR			
Straight lever classroom function	US26D	\$1,940.00	
Right hand	US3 & US10B	\$2,020.00	
PL3500CRL		4-,0-000	
Straight lever classroom function	US26D	\$1,940.00	
Left Hand	US3 & US10B	\$2,020.00	
PL3500DBR	055 & 0510B	\$2,020.00	
Straight lever deadbolt function	US26D	\$1,940.00	
Right hand	US3 & US10B	\$2,020.00	
PL3500DBL	US3 & US10B	\$2,020.00	
	US26D	\$1,940.00	
Straight lever deadbolt function			
Left Hand	US3 & US10B	\$2,020.00	
PL3575CRR	11/32 CD	01.056.00	
Regal (curved) lever classroom	US26D	\$1,956.00	
Function right hand	US3 & US10B	\$2,037.00	
PL3575CRL			
Regal (curved) lever classroom	US26D	\$1,956.00	
Function left hand	US3 & US10B	\$2,037.00	
PL3575DBR			
Regal (curved) lever deadbolt	US26D	\$1,956.00	
Function right hand	US3 & US10B	\$2,037.00	
PL3575DBL			
Regal (curved) lever deadbolt	US26D	\$1,956.00	
Function left hand	US3 & US10B	\$2,037.00	
	Computer interface cable for serial		
AL-PCI2	connection includes DL-Windows	\$129.00	
	software		
	USB computer interface cable includes		
ALPCI2-U	DL-Windows software	\$237.00	
MX1130	USB Converter	\$118.00	
AL-IR1	Infra-red Printer	\$520.00	
AL-DTMIII	Data Transfer Module	\$448.00	
AL-PRE	Prox Card Enroller	\$590.00	
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00	
ALIID 1320	Proximity Access Cards 100 Fer Box Proximity, Magnetic Stripe and Photo	ψ303.00	
AT HID1226		\$1,020,00	
ALHID1336	ID cards 100 per box	\$1,030.00	
AT HID1297	Proximity and Photo ID	\$027.00	
ALHID1386	Card 100 per box	\$927.00	
ALHID1391	MicroProx Tag 10 per box	\$82.00	
ALHID1346	Proximity keyfob 10 per box	\$118.00	
	Trilogy DL-Windows and Networx		
	Connectivity software training videos		
	divided into 4 easy to follow sections		
ALTRAINDVD	conducted into a classroom style	\$0.00 + \$15.95 shipping and handling	
	environment. Training videos cover	charge. Please contact customer service at	
	basics, getting started, schedules and	1-800-ALA-LOCK to place your order via	
	times zones, programming Trilogy locks	credit card, or email	
	via a laptop and the DTM along with how	sales@alarmlock.com	
	to connect and bring Networx on line.		
S6190	Exit Trim/Mortise Lock Parts Kit	\$151.00	



TRILOGY ELECTRONIC DIGITAL PROXIMITY MORTISE LOCKS WITH PRIVACY & RESIDENCY FEATURES

PDL4500 - Electronic battery operated digital proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. 500 event schedule, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats. Privacy feature will lock out all users for a programmed amount of time. Residency feature-allows exiting without having to lock the door.

SPECIFICATIONS:

Door Thickness: Fits 1 3/8" to 1 7/8" (4.46cm).

Backset: 2 3/4" standard

Strike: 1 1/4" x 4 7/8"strike included

Handing: Specify RH or LH when ordering, lock is reversible

In the field

Power: 5 AA alkaline batteries (included)

Keypad: Weatherproof all metal, 12 button. All functions

programmed through keypad. Proximity antenna housing

molded of ultra high strength, impact resistant Lexan®

Door prep: Standard ANSI A115 Mortise prep, modified by

adding additional through-bolt holes

Compliances: Steelcase lockbody meets BHMA specifications

For Grade 1 locks. UL listed to the 10C Positive Pressure Specification. FCC Certified. ADA

compliant levers

Functions: Deadbolt function feature stainless steel deadbolt with

1" (2.55cm) projection, latchbolt with 3/4" (1.91cm) projection and deadlocking latch Deadbolt may be projected from key cylinder from outside door or

turn-piece from inside door

Cylinder: 1 3/8" (3.5cm) mortise cylinder supplied. Will

Accept 1 1/4" to 1 1/2" (3.5 – 3.82cm) mortise

Cylinder. Deadbolt function supplied with cloverleaf cam
Cams: Cams for other manufacturer's cylinders are available

See "Mortise Lock accessories" for part numbers &

Manufacturers

ALL PDL4500 LOCKS ARE WEATHER-RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES

PRODUCT	FINISH	LIST PRICE
PDL4500DBR		
Straight lever deadbolt function	US26D	\$1,664.00
Right hand	US3 & US10B	\$1,744.00
PDL4500DBL		
Straight lever deadbolt function	US26D	\$1,664.00
Left Hand	US3 & US10B	\$1,744.00
PDL4575DBR		
Regal (curved) lever deadbolt	US26D	\$1,682.00
Function right hand	US3 & US10B	\$1,757.00
PDL4575DBL		
Regal (curved) lever deadbolt	US26D	\$1,682.00
Function right hand	US3 & US10B	\$1,757.00
PDL4500SK/26D	Mounted Sales Demo	Call Factory
1 DL43003K/20D	Computer interface cable for serial	Can ractory
AL-PCI2	connection includes DL-Windows	\$129.00
712 1 012	software	\$125.00
ALPCI2-U	USB computer interface cable	\$237.00
	includes DL-Windows software	
MX1130	USB Converter	\$118.00
AL-IR1	Infra-red Printer	\$520.00
AL-DTMIII	Data Transfer Module	\$448.00
AL-PRE	Prox Card Enroller	\$590.00





MORTISE LOCK ACCESSORIES

ALHID1326	Proximity Access Cards 100 Per Box	\$505.00
	Proximity, Magnetic Stripe and Photo	
ALHID1336	ID cards 100 per box	\$1,030.00
	Proximity and Photo ID	
ALHID1386	Card 100 per box	\$927.00
ALHID1391	MicroProx Tag 10 per box	\$82.00
ALHID1346	Proximity keyfob 10 per box	\$118.00
	Trilogy DL-Windows and Networx	
	Connectivity software training videos	
	divided into 4 easy to follow sections	
ALTRAINDVD	conducted into a classroom style	\$0.00 + \$15.95 shipping and handling
	environment. Training videos cover	charge. Please contact customer service at
	basics, getting started, schedules and	1-800-ALA-LOCK to place your order via
	times zones, programming Trilogy locks	credit card, or email
	via a laptop and the DTM along with how	sales@alarmlock.com
	to connect and bring Networx on line.	

MORTISE LOCK PARTS

CLASSROOM FUNCTION CAMS		
HW956-L	Alarm Lock Standard Straight Cam	\$5.00
HW956-M	Marks Straight Cam	\$5.00
HW956-C	Corbin-Russwin Straight Cam	\$5.00
HW956-S	Schlage Straight Cam	\$5.00
HW956-A	Arrow Straight Cam	\$5.00
HW956-R	Sargent Straight Cam	\$5.00
DEADBOLT FUNCTION CAMS		
HW957-L	Alarm Lock Standard Cloverleaf Cam	\$5.00
HW957-M	Marks Cloverleaf Cam	\$5.00
HW957-C	Corbin-Russwin Cloverleaf Cam	\$5.00
HW957-S	Schalge Cloverleaf Cam	\$5.00
HW957-A	Arrow Cloverleaf Cam	\$5.00
HW957-S	Sargent Cloverleaf Cam	\$5.00
HW1141	Schlage IC Cloverleaf Cam	\$5.00

	PDL3500 complete outside housing	
S6165	available in 26D, US3 & US10B	\$1,087.00
S6175	Replacement lever support spring	\$3.00
S6192	Lever and spring upgrade kit Standard lever – 26D, 10B, US3	\$54.00
S6193	Lever and spring upgrade kit Regal lever – 26D, 10B, US3	\$80.00
HW904DBR	Right hand deadbolt lock body	\$171.00
HW903DBL	Left hand deadbolt lock body	\$171.00
HW870CRL	Left Hand Classroom lock body	\$171.00
HW875CRR	Right hand Classroom lock body	\$171.00
S6065	Replacement Battery Pack	\$38.00



TRILOGY NARROW STYLE LOCK PRODUCTS

DL1200 SERIES - Aluminum door retrofit outside trim. Works with Adams Rite®

4500, 4700 & 4900 series deadlatch. 4070, MS18505 & MS19505

series deadbolts. 100 user codes, master,

Manager, basic user and 3 "one-time" user codes.



SPECIFICATIONS:

Door thickness: supports style 1 $\frac{3}{4}$ " only

Backset: supports 31/32", 1 1/8", & 1 ½"

Latch: works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900 Series spring latch and MS1850S & MS1950S series deadbolts

Handing: non-handed

Power: uses 2 DL123A lithium batteries

Keypad: all metal, vandal resistant 12 button keypad supports 3-5 digit

PIN codes

Cylinder: supplied with 6 pin mortise standard mortise cylinder SC1

Keyway. Use 1 3/8" or 1 ½" cylinders

Cams: cam supplied works with generic Alarm Lock cylinder. Other

Standard cams available for Corbin-Russwin, Marks, Arrow, Sargent & Schlage. IC type cams for Best, Corbin-Russwin,

Medeco, Schlage & Yale are also available

ALL DL1200 SERIES LOCKS ARE WEATHER-RESISTANT

PRODUCT	DESCRIPTION	LIST PRICE
IROBUCI	DESCRIPTION	LISTTRICE
	Lever set works with Adams Rite®	
	4500, 4700, & 4900 series deadlatch	
DL1200/26D1	26D finish	\$672.00
DL1200/20D1		\$072.00
	Lever set works with Adams Rite®	
DI 1200/10D1	4500, 4700 & 4900 series deadlatch	0.72.00
DL1200/10B1	10B finish	\$672.00
	Thumb turn works with Adams Rite®	
	4070, MS18505, MS1950 series	
	deadbolt	
DL1225/26D2	26D finish	\$672.00
	Thumb turn works with Adams Rite®	
	4070, MS18505, MS1950 series	
	deadbolt	
DL1225/10B2	10B finish	\$672.00
	Knob works with Adams Rite®	
	4070, MS18505, MS1950 series	
	deadbolt	
DL1250/26D2	26D finish	\$672.00
	Knob works with Adams Rite®	
	4070, MS18505, MS1950 series	
	deadbolt	
DL1250/10B2	10B finish	\$672.00



TRILOGY NARROW STYLE LOCK PRODUCTS

DL1300 SERIES – Aluminum door retrofit outside trim. Works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900 series spring latch and MS18505 & MS19505 series deadbolts. 2,000 user codes, master, Manager, basic user and multiple "one-time" user codes. 500 event schedule, real time clock & 40,000 event audit trail.



SPECIFICATIONS:

Door thickness: supports style 1 ¾" only supports 31/32", 1 1/8", & 1 ½"

Latch: works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900

Series spring latch and MS1850S & MS1950S series deadbolts

Handing: non-handed

Power: uses 2 DL123A lithium batteries

Keypad: all metal, vandal resistant 12 button keypad supports 3-5 digit

PIN codes

Cylinder: supplied with 6 pin mortise standard mortise cylinder SC1

Keyway. Use 1 3/8" or 1 1/2" cylinders

Cams: cam supplied works with generic Alarm Lock cylinder. Other

Standard cams available for Corbin-Russwin, Marks, Arrow, Sargent & Schlage. IC type cams for Best, Corbin-Russwin,

Medeco, Schlage & Yale are also available

ALL DL1300 SERIES LOCKS ARE WEATHER RESISTANT

PRODUCT	DESCRIPTION	LIST PRICE
	Lever set works with Adams Rite®	
	4500, 4700, & 4900 series deadlatch	
DL1300/26D1	26D finish	\$843.00
	Lever set works with Adams Rite®	
	4500, 4700, & 4900 series deadlatch	
DL1300/10B1	10B finish	\$843.00
	Thumb turn works with Adams Rite®	
	4070, MS18505, MS1950 series	
	deadbolt	
DL1325/26D2	26D finish	\$843.00
	Thumb turn works with Adams Rite®	
	4070, MS18505, MS1950 series	
	deadbolt	
DL1325/10B2	10B finish	\$843.00
	Knob works with Adams Rite®	
	4070, MS18505, MS1950 series	
	deadbolt	
DL1350/26D2	26D finish	\$843.00
	Knob works with Adams Rite®	
	4070, MS18505, MS1950 series	
	deadbolt	
DL1350/10B2	10B finish	\$843.00
	Computer interface cable for serial	*
AL-PCI2	connection includes DL-Windows	\$129.00
	software	
	USB computer interface cable includes	
ALPCI2-U	DL-Windows software	\$237.00
AL-IR1	Infra-red Printer	\$520.00
AL-DTMIII	Data Transfer Module	\$448.00



TRILOGY NARROW STILE LOCK PRODUCTS

PDL1300 SERIES – Aluminum door retrofit outside trim. Works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900 series spring latch and MS18505 & MS19505 series deadbolts. 2,000 user codes, master, Manager, basic user and multiple "one-time" user codes. Proximity capabilities. 500 event schedule, real time clock & 40,000 event audit trail.



SPECIFICATIONS:

Door thickness: supports style 1 ¾" only supports 31/32", 1 1/8", & 1 ½"

Latch: works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900

Series spring latch and MS1850S & MS1950S series deadbolts

Handing: non-handed

Power: uses 2 DL123A lithium batteries

Keypad: all metal, vandal resistant 12 button keypad supports 3-5 digit

PIN codes and HID proximity cards and fobs. Proximity antenna housing molded of ultra high strength, impact

resistant Lexan®

Cylinder: supplied with 6 pin mortise standard mortise cylinder SC1

Keyway. Use 1 3/8" or 1 ½" cylinders

Cams: cam supplied works with generic Alarm Lock cylinder. Other

Standard cams available for Corbin-Russwin, Marks, Arrow, Sargent & Schlage. IC type cams for Best, Corbin-Russwin,

Medeco, Schlage & Yale are also available

ALL NARROW STILE LOCKS ARE WEATHER RESISTANT

PRODUCT	DESCRIPTION	LIST PRICE
	Lever set works with Adams Rite®	
	4500, 4700, & 4900 series deadlatch	
PDL1300/26D1	26D finish	\$1,222.00
	Lever set works with Adams Rite®	
	4500, 4700, & 4900 series deadlatch	
PDL1300/10B1	10B finish	\$1,222.00
	Thumb turn works with Adams Rite®	
	4070, MS18505, MS1950 series	
	deadbolt	
PDL1325/26D2	26D finish	\$1,222.00
	Thumb turn works with Adams Rite®	
	4070, MS18505, MS1950 series	
	deadbolt	
PDL1325/10B2	10B finish	\$1,222.00
Knob works with Adams R		
	4070, MS18505, MS1950 series	
	deadbolt	
PDL1350/26D2	26D finish	\$1,222.00
	Knob works with Adams Rite®	
	4070, MS18505, MS1950 series	
	deadbolt	
PDL1350/10B2	10BD finish	\$1,222.00
	Computer interface cable for serial	_
AL-PCI2	connection includes DL-Windows	\$129.00
112.1.012	software	



TRILOGY NARROW STYLE LOCK PRODUCTS (con't)

	USB computer interface cable includes	
ALPCI2-U	DL-Windows software	\$237.00
MX1130	USB Converter	\$118.00
AL-IR1	Infra-red Printer	\$520.00
AL-DTMIII	Data Transfer Module	\$448.00
AL-PRE	Prox Card Enroller	\$590.00
ALHID1326	Proximity Access Cards 100 Per Box	\$520.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,030.00
	Proximity and Photo ID	
ALHID1386	Card 100 per box	\$927.00
ALHID1391	MicroProx Tag 10 per box	\$82.00
ALHID1346	Proximity keyfob 10 per box	\$118.00

PARTS

STANDARD MORTISE CAMS	DESCRIPTION	LIST PRICE
HW1344	Corbin-Russwin standard cam	\$5.00
HW1346	Marks standard cam	\$5.00
HW1348	Arrow & Sargent standard cams	\$5.00
HW1349	Schlage standard cam	\$5.00
IC MORTISE CAMS		
HW1345	Corbin-Russwin IC cam	\$11.00
HW1347	Medeco IC cam	\$11.00
HW1350	Schlage IC cam	\$11.00
HW1343	Best IC cam	\$11.00
S6169	Best IC housing with cam attached 26D, 10B	\$42.00
Replacement Battery		
S6161	Inside Battery Kit	\$61.00
S6170	Replacement Battery	\$38.00

HOW TO ORDER THE TRILOGY NARROW STILE LOCKS

Last two digits of the part number are		Used with Adams Rite Product
00	Straight Lever	4500, 4700 & 4900 Series Only
25	Thumb turn	MS1850, MS1950 & 4070 Series
50	Knob	MS1850, MS1950 & 4070 Series





TRILOGY NARROW STYLE/EXIT LOCK PRODUCTS

DL1200ET, DL1300ET & PDL1300ET SERIES - Aluminum door retrofit outside trim. Works with Arrow, DCI, Von Duprin, Corbin, Dor-o-matic, Dorma & Jackson. DL1200ET has 100 user codes, master, Manager, basic user and 3 "one-time" user codes. DL1300ET & PDL1300ET have 2,000 user codes, multiple "one-time" user codes. 500 event schedule, real time clock & 40,000 event audit trail. PDL1300ET also has proximity capabilities.

SPECIFICATIONS:

Door thickness:

supports style 1 3/4" only

Handing:

non-handed

Power:

uses 2 DL123A lithium batteries

Keypad:

all metal, vandal resistant 12 button keypad supports 3-5

digit PIN codes

Cylinder:

supplied with 6 pin mortise standard mortise cylinder SC1

Keyway. Use 1 3/8" or 1 ½" cylinders

Cams:

cam supplied works with generic Alarm Lock cylinder. Other Standard cams available for Corbin-Russwin, Marks, Arrow,

Sargent & Schlage. IC type cams for Best, Corbin-Russwin,

Medeco, Schlage & Yale are also available

Must order separate tailpiece for specific ET being installed (See page 31)

Note: ET Trim works w/V33 LH (RHR) only

ALL NARROW STILE/EXIT LOCKS ARE WEATHER RESISTANT

PRODUCT	DESCRIPTION	LIST PRICE
DL1200ET/26D STRAIGHT LEVER 100 user codes	Narrow Stile Lock for Arrow S1200/S1250, DCI 1200/1300, Von Duprin 22, Corbin ED8200 & Von Duprin 33 panic LH (RHR) devices only	\$672.00
DL1200ET//10B STRAIGHT LEVER 100 user codes	Narrow Stile Lock for Arrow S1200/S1250, DCI 1200/1300, Von Duprin 22, Corbin ED8200 & Von Duprin 33 panic LH (RHR) devices only	\$672.00
DL1225ET/26D TURNPIECE 100 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$672.00
DL1225ET/10B TURNPIECE 100 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$672.00
DL1250ET/26D KNOB 100 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$672.00





TRILOGY NARROW STYLE/EXIT LOCK PRODUCTS (CON'T)

	, SIIEE, EIRII EG CIIII	
DL1250ET/10B KNOB 100 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$672.00
DL1300ET/26D STRAIGHT LEVER 2,000 user codes	Narrow Stile Lock for Arrow S1200/S1250, DCI 1200/1300, Von Duprin 22, Corbin ED8200 & Von Duprin 33 LH (RHR) devices only	\$878.00
DL1300ET/10B STRIGHT LEVER 2,000 user codes	Narrow Stile Lock for Arrow S1200/S1250, DCI 1200/1300, Von Duprin 22, Corbin ED8200 & Von Duprin 33 LH (RHR) devices only	\$878.00
DL1325ET/26D TURNPIECE 2,000 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$878.00
DL1325ET/210B TURNPIECE 2,000 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$878.00
DL1350ET/26D KNOB 2,000 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$878.00
DL1350ET/10B KNOB 2,000 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$878.00
PDL1300ET/26D STRAIGHT LEVER 2,000 user codes	Narrow Stile Lock for Arrow S1200/S1250, DCI 1200/1300, Von Duprin 22, Corbin ED8200 & Von Duprin 33 LH (RHR) devices only	\$1,222.00
PDL1300ET/10B STRAIGHT LEVER 2,000 user codes	Narrow Stile Lock for Arrow S1200/S1250, DCI 1200/1300, Von Duprin 22, Corbin ED8200 & Von Duprin 33 LH (RHR) devices only	\$1,222.00
PDL1325ET/26D TURNPIECE 2,000 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$1,222.00
PDL1325ET/10B TURNPIECE 2,000 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$1,222.00
PDL1350ET/26D KNOB 2,000 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$1,222.00
PDL1350ET/10B KNOB 2,000 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$1,222.00



TRILOGY NARROW STYLE/EXIT LOCK PRODUCTS (CON'T)

Tailpieces must be used with the Panic Devices as shown below

TAILPIECE PART NUMBER	PANIC DEVICE	LIST PRICE
TP-1691	Used with Arrow S1200/1250, DCI 1200/1300, Von Duprin 22 & Dorma 5300 Panic Devices	\$57.00
TP-1692	Used with Dor-o-Matic 2090 Panic Device	\$57.00
TP-1693	Used with Corbin ED8200 Panic Device	\$57.00
TP-1694	Used with Von Duprin 33 LH (RHR) devices only	\$57.00
TP-1698	Used with Jackson 1095 Panic Device	\$57.00

TRILOGY NARROW STYLE/EXIT LOCK PRODUCTS

PARTS AND ACCESSORIES

ACCESSORIES	DESCRIPTION	LIST PRICE
AL-PC12	Computer interface cable for serial connection includes DL-Windows software	\$129.00
ALPCI2-U	USB computer interface cable includes DL-Windows software	\$237.00
MX1130	USB Converter	\$120.00
AL-IR1	Infra-red Printer	\$520.00
AL-DTMIII	Data Transfer Module	\$448.00
AL-PRE	Prox Card Enroller	\$590.00
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,030.00
	Proximity and Photo ID	
ALHID1386	Card 100 per box	\$927.00
ALHID1391	MicroProx Tag 10 per box	\$82.00
ALHID1346	Proximity keyfob 10 per box	\$118.00

STANDARD MORTISE CAMS	DESCRIPTION	LIST PRICE
HW1344	Corbin-Russwin standard cam	\$5.00
HW1346	Marks standard cam	\$5.00
HW1348	Arrow & Sargent standard cams	\$5.00
HW1349	Schlage standard cam	\$5.00
IC MORTISE CAMS		
HW1345	Corbin-Russwin IC cam	\$11.00
HW1347	Medeco IC cam	\$11.00
HW1350	Schlage IC cam	\$11.00
HW1343	Best IC cam	\$11.00
S6169	Best IC housing w/cam attached 26D, 10B	\$42.00
Replacement Battery		
S6161	Inside Battery Kit	\$61.00
S6170	Replacement Battery	\$38.00



TRILOGY EXIT TRIM PRODUCTS

Battery operated Trilogy outside trim works with Marks M9900, Von Duprin 99, Corbin ED5000, Yale 7100, Dorma 9300, Arrow 3800, Sargent 8800, Precision 1100, 2100 & Cal Royal 9800, series panic devices. Available in DL series (keypad) or PDL (prox/keypad) formats. Features include 2,000 user codes, 500 scheduled events and 40,000 event audit trail.

SPECIFICATIONS:

Cylinder: Uses standard rim cylinder to operate key override

function. Will accept 6 or 7 pin interchangeable

core cylinders – see below.

Handing: Non-handed

Power: 5 AA alkaline batteries (included) mounted on inside

of door.

Keypad: Weather-resistant all metal, 12 button. All functions

Programmable through the keypad.

PDL version proximity antenna housing molded of ultra high strength, impact resistant Lexan®



crash bar not included except with M99 kit.

ALL ET SERIES LOCKS ARE WEATHER-RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES

PRODUCT	DESCRIPTION	LIST PRICE
ETDL series	26D	\$1,320.00
ETDL series	US3 & US10B	\$1,388.00
ETDL series w/Regal lever	26D	\$1,343.00
ETDL series w/Regal lever	US3 & US10B	\$1,400.00
ETPDL series	26D	\$1,722.00
ETPDL series	US3 & US10B	\$1,792.00
ETPDL series w/Regal lever	26D	\$1,744.00
ETPDL series w/Regal lever	US3 & US10B	\$1,812.00
	26D	\$1,722.00
ETPL series	US3 & US10B	\$1,792.00
	26D	\$1,744.00
ETPL series w/Regal lever	US3 & US10B	\$1,812.00
Specify finish on adapter kit	Alarm Lock Standard Rim Cylinder	
ET- AL Finish = 26D, US3 & US10B	Adapter kit (Schlage C keyway)	\$57.00
	Arrow Standard Rim Cylinder	
ET- AR Finish = 26D, US3 & US10B	Adapter kit	\$57.00
,	ASSA Standard Rim Cylinder	
ET- AS Finish = 26D, US3 & US10B	Adapter kit	\$57.00
·	Corbin Standard Rim Cylinder	
ET - C Finish = 26D, US3 & US10B	Adapter kit	\$57.00
	Medeco Standard Rim Cylinder	
ET - M Finish = 26D, US3 & US10B	Adapter kit	\$57.00
	Sargent Standard Rim Cylinder	
ET - R Finish = 26D, US3 & US10B	Adapter kit	\$57.00
	Schlage Standard Rim Cylinder	
ET - S Finish = 26D, US3 & US10B	Adapter kit	\$57.00
	Yale Standard Rim Cylinder	
ET - Y Finish = 26D, US3 & US10B	Adapter kit	\$57.00
	Arrow IC 6 & 7 Pin Rim Cylinder	
ET - ARIC Finish = 26, 26D, 3, 4, 5, 10B	Adapter kit	\$79.00
	Best IC 6 & 7 Pin Rim Cylinder	
ET - BIC Finish = 26D, US3 & US10B	Adapter kit	\$79.00
	Corbin IC Rim Cylinder	
ET - CIC Finish = 26D, US3 & US10B	Adapter kit	\$79.00
	Medeco IC 6 & 7 Pin Rim Cylinder	
ET - MIC Finish = 26D, US3 & US10B	Adapter kit	\$79.00

TRILOGY EXIT TRIM PRODUCTS (CONT'D)

Product	Description	LIST PRICE
	Sargent IC Rim Cylinder	
ET - RIC Finish = 26D, US3 & US10B	Adapter kit	\$79.00
	Schlage IC Rim Cylinder	
ET - SIC Finish = 26D, US3 & US10B	Adapter kit	\$79.00
	Yale IC 6 Pin Rim Cylinder	
ET - YIC Finish = 26D, US3 & US10B	Adapter kit	\$79.00
ETEL GWZ/ACD	M	
ETDLSKZ/26D	Mounted sales kit	Call Factory
V99, C50, A38, D93, Y71, S88, CR8, P11	For demo purposes	
ETPDLSKZ/26D	Mounted sales kit	Call Factory
V99, C50, A38, D93, Y71, S88, CR8, P11	For demo purposes	cuit rubtory
, , , , , , ,	Computer interface cable for serial	
AL-PCI2	connection Includes DL-Windows	\$129.00
	software	
	USB computer interface cable	
ALPCI2-U	includes DL-Windows software	\$ 230.00
AL-IR1	Infra-red Printer	\$520.00
AL-DTMIII	Data Transfer Module	\$448.00
Al-PRE	Prox Card Enroller	\$590.00
	Proximity Access Cards	
ALHID1326	100 per box	\$470.00
	Proximity, Magnetic Stripe and Photo	·
ALHID1336	ID cards 100 per box	\$1,030.00
	Proximity and Photo ID	·
ALHID1386	Card 100 per box	\$927.00
ALHID1346	Proximity keyfob packed 10 per box	\$118.00
ALHID1391	MicroProx Tag 10 per box	\$82.00

EXIT TRIM KITS W/MARKS M9900 PANIC BAR

PRODUCT	DESCRIPTION	LIST PRICE
ETDL-M99K	26D Finish	\$1,729.00
ETPDL-M99K	26D Finish	\$2,118.00

EXTENDED SPINDLES CAN BE PURCHASED SEPARATELY

S6146	Extend exit trim to fit 2 – 2 ³ / ₄ " doors	\$112.00
Extended Spindle and screws		
S6147	Extend exit trim to fit 3 – 4" doors	\$112.00
Extended Spindle and screws		
S6195	Extend exit trim to fit 4 1/4 - 5" doors	\$112.00
Extended Spindle and screws		
	Extended replacement screws with	
SC544	adjustable lengths (4 per unit)	\$21.00
9ETBATCASE	Replacement Battery	\$48.00
S6175	Lever return spring for ET	\$3.00
S6190	Exit Trim/Mortise Lock Parts Kit	\$151.00
S6191	Lever and spring upgrade kit	\$61.00
	Standard lever – 26D, 10B	
S6193	Lever and spring upgrade kit	
	Regal lever – 26D, 10B	\$78.00

PLEASE SEE "HOW TO ORDER" CHART ON PAGE 18 TO PROPERLY ORDER YOUR TRILOGY EXIT TRIM. IF YOU REQUIRE THE LOCK TO BE PREPPED FOR A THICKER DOOR, YOU MUST ORDER EXTENDED SPINDLE/SCREW KIT. THE BASIC MODEL IS PREPPED FOR A 1 5/8" TO 1 7/8" DOOR.

**** PRECISION 2100 SERIES WILL WORK WITH THE VON DUPRIN 99 PREP. YOU MUST GET A MOUNTING PLATE PART # 2141208 FROM PRECISION****





HOW TO ORDER YOUR TRILOGY EXIT LOCK

Below is a "How to Order" guide for the Trilogy Exit Trim products. Please follow this guide when placing orders to avoid any delay in processing your order.

All units are sold with a generic cylinder adapter installed. When you are using a specific Brand of rim cylinder, you must purchase a Cylinder Adapter Kit from the chart below.

COMPATABLE PANIC DEVICES M99 – Marks M9900 ETPDLS1G/26DV9 V99 – VonDuprin 99(P21) C50 - Corbin ED5000 and Y71 - Yale 7100 **TYPE** D93 - Dorma 9300 A38 - Arrow 3800 S88 - Old Style Sargent 8800 PDL Digital w/Prox NS8 - New Style Sargent 8888 PL Prox only P11 - Precision 1100 DL Keypad only CR8 - Cal Royal 9800 DOOR G= generic rim **HANDLE** THICKNESS FINISH cylinder & adapter $\overline{26}D = \text{satin chrome}$ kit included in all 1=1 3/4" + 1/8" R-Regal locks 10B = duronodicS-Straight All units shipped with "1" option. CYLINDER ADAPTER KITS For thicker You must choose one of the cylinder adapter kits door preps, you below if you are using a name brand cylinder in must order the lock. extended spindle and ET - AL - Alarm Lock standard screw kit (Schlage C keyway) separately. ET - BIC - Best IC 6 & 7 pin ET - S- Schlage standard rim - Schlage IC ET - SICPlease note that Precision 2100 ET - R- Sargent standard rim series will match up to the Von ET - RIC- Sargent IC Duprin 99 series Trilogy. You must ET - Y-Yale standard rim get a mounting plate #2141208 from ET - YIC -Yale IC 6 pin Precision. - Corbin standard rim ET - C ET – CIC - Corbin IC ET - M - Medeco standard rim ET - MIC- Medeco IC 6 & 7 pin ET - AR- Arrow standard rim ET - ARIC- Arrow IC 6 & 7 pin

ET - AS

- ASSA standard rim



TRILOGY ELECTRONIC DIGITAL KEYPAD

DK3000/PDK3000 Series - Electronic digital keypad. Available in keypad only

and keypad plus prox. Holds up to 2,000 user codes, Master, Management, Supervisor & basic user. 500 event schedule, real time clock & 40,000 event audit trail. Prox unit will read most HID cards and keyfobs.

Specifications:

Wall mount: Single gang box mounting.

Wiring: Unit provides flying leads for power, relays, tamper and remote

Release.

I/O Specs: 2 form C relays 5AMP minimum contact rating. Red & green LED

Indicators. 1 remote release input. Sounder and tamper.

Power: Operating voltage 12-24VAC/DC field selectable.



ALL DK3000/PDK3000 ARE WEATHER-RESISTANT

ALL DK3000/PDK3000 ARE WEATHER-RESISTANT		
FINISH	LIST PRICE	
Metallic silver (MS) Metallic bronze (MB)	\$642.00	
26D, US3 & US10B	\$838.00	
Metallic silver (MS) Metallic bronze (MB)	\$1,067.00	
26D, US3 & US10B	\$1,211.00	
Computer interface cable for serial connection includes DL-Windows software	\$129.00	
USB computer interface cable includes DL-Windows software	\$237.00	
USB Converter	\$118.00	
Infra-red Printer	\$520.00	
Data Transfer Module	\$448.00	
Prox Card Enroller	\$590.00	
Proximity Access Cards 100 per box	\$505.00	
ID cards 100 per box	\$1,030.00	
3	\$927.00	
	\$118.00	
	\$82.00	
Trilogy DL-Windows and Networx Connectivity software training videos divided into 4 easy to follow sections conducted into a classroom style environment. Training videos cover basics, getting started, schedules and times zones, programming Trilogy locks via a laptop and the DTM along with how	\$0.00 + \$15.95 shipping and handling charge. Please contact customer service at 1-800-ALA-LOCK to place your order via credit card, or email sales@alarmlock.com	
	FINISH Metallic silver (MS) Metallic bronze (MB) 26D, US3 & US10B Metallic silver (MS) Metallic bronze (MB) 26D, US3 & US10B Computer interface cable for serial connection includes DL-Windows software USB computer interface cable includes DL-Windows software USB Converter Infra-red Printer Data Transfer Module Prox Card Enroller Proximity Access Cards 100 per box Proximity, Magnetic Stripe and Photo ID cards 100 per box Proximity and Photo ID Card 100 per box Proximity keyfob packed 10 per box MicroProx Tag 10 per box Trilogy DL-Windows and Networx Connectivity software training videos divided into 4 easy to follow sections conducted into a classroom style environment. Training videos cover basics, getting started, schedules and times zones, programming Trilogy locks	



Extended sizes:

thicker doors.

extended lock.

W54 - 2 1/8"

W57 - 2 1/4"

W60 - 2 3/8"

W64 - 2 1/2"

W70 - 2 3/4"

W83 - 3 1/4"

W89 - 3 1/2"

W76 - 3"

Standard and SFIC cylinder preps can be extended for

\$165.00 add on to list for

Note: Locks can be adjusted

by +/- 1/8" by adding or

removing spacers.

Extended lock legend:

Price Book 2017

TRILOGY NETWORX DIGITAL LOCKS

DL6100 SERIES — Digital cylindrical lock supporting 5,000 pin user codes (3-6 digits), 500 scheduled events and 35,000 event audit log.

SPECIFICATIONS:



Fits 1 5/8" to 1 7/8". Other thickness, Door Thickness:

please consult factory

2 3/4" (2 3/8" also available) 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8" Backset: Strike:

ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw

reversible Non-handed

Handing: Power: 4 C-cell batteries (included)

All metal, 12 button. Basic functions programmed Keypad:

through the keypad.

Standard ANSI A115 Series prep, modified by Door prep:

adding additional through-bolt holes

BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed Compliances:

UL Listed 10C Positive Pressure Specification. FCC

Certified. ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all

key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Standard model accepts 6 & 7 pin cylinders from Interchangeable Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Core Models:

Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco,

Sargent, Corbin-Russwin & Schlage are also available ALL NETWORX LOCKS ARE WEATHER RESISTANT

PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS

PRODUCT	FINISH	LIST PRICE
DL6100	26D	\$1,452.00
Standard key override	10B	\$1,534.00
DL6175		
Standard Key override	26D	\$1,472.00
Regal (curved)	10B	\$1,586.00
DL6100IC*	26D	\$1,472.00
Interchangeable core	10B	\$1,550.00
DL6175IC*		
Interchangeable core	26D	\$1,503.00
Regal (curved)	10B	\$1,565.00
AL-IME	Ethernet connected gateway w/AC adapter to plug into standard wall outlet	\$510.00
AL-IM80211	Wi-Fi gateway to connect to 802.11 network w/AC adapter to plug into standard wall outlet.	\$710.00
AL-IMEPOEP	Power Over Ethernet, plus hardwire gateway interface capability. No AC Power required.	\$610.00
S6196	Networx Replacement Battery Pack	\$45.00

^{*}Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above.



Extended sizes:

thicker doors.

extended lock.

W54 - 2 1/8"

W57 - 2 1/4"

W60 - 2 3/8"

W64 - 2 1/2"

W70 - 2 3/4"

W83 - 3 1/4"

W89 - 3 1/2"

W76 - 3"

Standard and SFIC cylinder

preps can be extended for

\$165.00 add on to list for

Note: Locks can be adjusted

by +/- 1/8" by adding or

removing spacers.

Extended lock legend:

Price Book 2017

TRILOGY NETWORX PROXMITY DIGITAL LOCKS

PDL6100/PDL6200— Prox and digital cylindrical lock supporting 5,000 PIN user codes (3-6 digits), and/or HID

Proximity cards. 500 scheduled events and 35,000 event audit log.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness,

please consult factory

Backset:

2 3/4" (2 3/8" also available) 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8" Strike:

ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw

reversible Non-handed Handing:

Power: 4 C-cell batteries (included)

All metal, 12 button. Basic functions programmed Keypad:

through the keypad.

Standard ANSI A115 Series prep, modified by Door prep:

adding additional through-bolt holes

BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed Compliances:

UL Listed 10C Positive Pressure Specification. FCC

Certified. ADA compliant levers

6 pin solid brass, SC1 keyway, furnished with all Cylinder:

key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Standard model accepts 6 & 7 pin cylinders from Interchangeable Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Core Models:

Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco,

Sargent, Corbin-Russwin & Schlage are also available

ALL NETWORX LOCKS ARE WEATHER RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS

PRODUCT	FINISH	LIST PRICE
PDL6100	26D	\$1,864.00
Standard key override	10B	\$1,936.00
PDL6200		
Standard Key override	26D	\$1,915.00
w/door position switch	10B	\$1,987.00
PDL6175		
Standard Key override	26D	\$1,890.00
Regal (curved)	10B	\$1,951.00
PDL6100IC*	26D	\$1,879.00
Interchangeable core	10B	\$1,946.00
PDL6175IC*		
Interchangeable core	26D	\$1,962.00
Regal (curved)	10B	\$2,060.00
PDL6100SK	Mounted PDL6100 demo w/ mounted sales/demo kit including IME gateway and router mounted on plexi-glass for plug and play demonstrations with Alarm Lock carrying bag.	\$2,0000
AL-IME	Ethernet connected gateway w/AC adapter to plug into standard wall outlet	\$510.00
AL-IM80211	Wi-Fi gateway to connect to 802.11 network w/AC adapter to plug into standard wall outlet.	\$710.00



	Power Over Ethernet, plus hardwire		
AL-IMEPOEP	gateway interface capability. No AC	\$610.00	
	Power required.		
AL-PRE	Prox Card Enroller	\$590.00	
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00	
	Proximity, Magnetic Stripe and Photo		
ALHID1336	ID cards 100 per box	\$1,030.00	
	Proximity and Photo ID		
ALHID1386	Card 100 per box	\$927.00	
ALHID1391	MicroProx Tag 10 per box	\$82.00	
ALHID1346	Proximity keyfob 10 per box	\$118.00	
S6196	Networx Replacement Battery Pack	\$45.00	
AL-IME-USB	USB Gateway	\$300.00	
AL-NSM	Networx Signal Meter	\$296.00	
AL-NSG	Networx Signal Generator	\$240.00	

^{*}Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. **MUST SPECIFY 7 PIN FOR CORBIN AND YALE**

Networx training options available. See below for details.

Note:

Training and education options available for Networx products:

- 1. FREE On-Line certification Software and Networx connectivity video training available at: http://alarmlock.com/trainingvideos-list.asp
- 2. On site training may be available thru our in field rep agencies on a quote-by-quote basis. The minimum charge is \$500. For a listing of the reps in your area, please go to our website at: http://alarmlock.com/contactn.html

AL Training DVD

	Trilogy DL-Windows and Networx	
	Connectivity software training videos	
	divided into 4 easy to follow sections	
	conducted into a classroom style	\$0.00 + \$15.95 shipping and handling
ALTRAINDVD	environment. Training videos cover	charge. Please contact customer service at
	basics, getting started, schedules and	1-800-ALA-LOCK to place your order via
	times zones, programming Trilogy locks	credit card, or email
	via a laptop and the DTM along with how	sales@alarmlock.com
	to connect and bring Networx on line.	



TRILOGY NETWORX PROXMITY DIGITAL LOCKS

PL6100 SERIES — Prox only cylindrical lock supporting 5,000 PIN user codes (3-6 digits), and/or HID Proximity cards. 500 scheduled events and 35,000 event audit log.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness,

please consult factory

Backset: 2 3/4" (2 3/8" also available)

Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"

ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw

reversible Non-handed

Power: 4 C-cell batteries (included)

Handing:

Door prep: Standard ANSI A115 Series prep, modified by

adding additional through-bolt holes

Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed

UL Listed 10C Positive Pressure Specification. FCC

Certified . ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all

key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangable Standard model accepts 6 & 7 pin cylinders from Core Models: Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba

Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available

ALL NETWORX LOCKS ARE WEATHER RESISTANT

Extended sizes:

Standard and SFIC cylinder preps can be extended for thicker doors.

\$165.00 add on to list for extended lock.

Extended lock legend:

W54 - 2 1/8" W57 - 2 1/4"

W57 - 2 1/4" W60 - 2 3/8"

W64 - 2 1/2" W70 - 2 3/4" W76 - 3"

W83 - 3 1/4" W89 - 3 1/2"

Note: Locks can be adjusted by +/- 1/8" by adding or removing spacers.

PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS

PRODUCT	FINISH	LIST PRICE
PL6100	26D	\$1,864.00
Standard key override	10B	\$1,936.00
PL6175		
Standard Key override	26D	\$1,890.00
Regal (curved)	10B	\$1,951.00
PL6100IC*	26D	\$1,879.00
Interchangeable core	10B	\$1,946.00
PL6175IC*		
Interchangeable core	26D	\$1,962.00
Regal (curved)	10B	\$2,060.00
	Ethernet connected gateway w/AC	
AL-IME	adapter to plug into standard wall outlet	\$510.00
	Wi-Fi gateway to connect to 802.11	
AL-IM80211	network w/AC adapter to plug into	\$710.00
	standard wall outlet.	
	Power Over Ethernet, plus hardwire	
AL-IMEPOEP	gateway interface capability. No AC	\$610.00
	Power required.	
AL-PRE	Prox Card Enroller	\$590.00
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00
	Proximity, Magnetic Stripe and Photo	
ALHID1336	ID cards 100 per box	\$1,030.00
	Proximity and Photo ID	
ALHID1386	Card 100 per box	\$927.00
ALHID1391	MicroProx Tag 10 per box	\$82.00
ALHID1346	Proximity keyfob 10 per box	\$118.00
S6196	Networx Replacement Battery Pack	\$45.00

^{*}Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. **MUST SPECIFY 7 PIN FOR CORBIN AND YALE**



TRILOGY NETWORX ELECTRONIC DIGITAL MORTISE LOCKS

DL6500 SERIES – Digital mortise lock supporting 5,000 PIN user codes (3-6 digits), 500 scheduled events and 35,000 event audit log.

SPECIFICATIONS:

Door Thickness: Fits 1 3/8" to 1 7/8" (4.46cm).

Backset: 2 3/4" standard

Strike: 1 1/4" x 4 7/8" strike included

Handing: Specify RH or LH when ordering, lock is reversible

In the field

Power: 4 C- cell batteries (included)

Keypad: All metal, 12 button. Basic functions programmed

through keypad.

Door prep: Standard ANSI A115 Mortise prep, modified by

adding additional through-bolt holes

Compliances: Steelcase lock body meets BHMA specifications

For Grade 1 locks. UL listed to the 10C Positive Pressure Specification. FCC Certified. ADA

compliant levers

Functions: Classroom function feature stainless steel latchbolt

With 3/4" (1.91cm) projection and deadlocking latch.

Cylinder: 1 3/8" (3.5cm) mortise cylinder supplied. Will

Accept 1 3/8" to 1 1/2" (3.5 – 3.82cm) mortise Cylinder. Classroom function supplied with straight

Cam.

Cams: Cams for other manufacturer's cylinders are available

See "Mortise Lock accessories" for part numbers &

Manufacturers



ALL DL6500 MORTISE LOCKS ARE WEATHER-RESISTANT

PLEASE CHECK WITH FACTORY ON LEAD TIMES FOR SPECIAL FINISHES

PRODUCT	FINISH	LIST PRICE
DL6500CRR		
Straight lever classroom function	26D	\$1,586.00
Right hand	10B	\$1,658.00
DL6500CRL		
Straight lever classroom function	26D	\$1,586.00
Left Hand	10B	\$1,658.00
DL6575CRR		
Regal (curved) lever classroom	26D	\$1,601.00
Function right hand	10B	\$1,673.00
DL6575CRL		
Regal (curved) lever classroom	26D	\$1,601.00
Function left hand	10B	\$1,673.00

TRILOGY NETWORX ELECTRONIC DIGITAL MORTISE LOCKS (con't)

AL-IME	Ethernet connected gateway w/AC adapter to plug into standard wall outlet	\$510.00
AL-IM80211	Wi-Fi gateway to connect to 802.11 network w/AC adapter to plug into standard wall outlet.	\$710.00
AL-IMEPOEP	Power Over Ethernet, plus hardwire gateway interface capability. No AC Power required.	\$610.00
ALTRAINDVD	Trilogy DL-Windows and Networx Connectivity software training videos divided into 4 easy to follow sections conducted into a classroom style environment. Training videos cover basics, getting started, schedules and times zones, programming Trilogy locks via a laptop and the DTM along with how to connect and bring Networx on line.	\$0.00 + \$15.95 shipping and handling charge. Please contact customer service at 1-800-ALA-LOCK to place your order via credit card, or email sales@alarmlock.com
AL-IME-USB	USB Gateway	\$300.00
AL-NSG	Networx Signal Generator	\$240.00
AL-NSM	Networx Signal Meter	\$296.00

MORTISE LOCK PARTS

CLASSROOM FUNCTION CAMS	DESCRIPTION	LIST PRICE
HW956-L	Alarm Lock Standard Straight Cam	\$5.00
HW956-M	Marks Straight Cam	\$5.00
HW956-C	Corbin-Russwin Straight Cam	\$5.00
HW956-S	Schlage Straight Cam	\$5.00
HW956-A	Arrow Straight Cam	\$5.00
HW956-R	Sargent Straight Cam	\$5.00
S6175	Replacement lever support spring	\$5.00
S6192	Lever and spring upgrade kit Standard lever – 26D, 10B	\$54.00
S6193	Lever and spring upgrade kit Regal lever – 26D, 10B	\$80.00
HW870CRL	Left Hand Classroom lock body	\$171.00
HW875CRR	Right hand Classroom lock body	\$171.00
S6196	Networx Replacement Battery Pack	\$45.00



TRILOGY NETWORX ELECTRONIC PROXMITY DIGITAL MORTISE LOCKS

PDL6500/PL6500/PDL6600 – Prox and Digital mortise lock supporting 5,000 PIN user codes (3-6 digits) and HID Proximity cards. 500 scheduled events and 35,000 event audit log.

SPECIFICATIONS:

*Note:

PDL6600-

Request to exit

(REX); real time

when integrated

with CIC, Lenel,

When used on

at door, will

Networx; sound

record on audit

trail. Must pull

audit log to view.

Stanley B.A.S.I.S.

Door Thickness: Fits 1 3/8" to 1 7/8" (4.46cm).

Backset: 2 3/4" standard

Strike: 1 1/4" x 4 7/8"strike included
Handing: Specify RH or LH when ordering, lock is reversible

In the field

Power: 4 C- cell batteries (included)

Keypad: 4 C- cen batteries (included)

All metal, 12 button. Basic functions programmed

through keypad.

Door prep: Standard ANSI A115 Mortise prep, modified by

adding additional through-bolt holes
Compliances: Steelcase lock body meets BHMA specif

Steelcase lock body meets BHMA specifications For Grade 1 locks. UL listed to the 10C Positive Pressure Specification. FCC Certified. ADA

compliant levers

Functions: Classroom function feature stainless steel latchbolt

With 3/4" (1.91cm) projection and deadlocking latch.

Cylinder: 1 3/8" (3.5cm) mortise cylinder supplied. Will

Accept 1 3/8" to 1 1/2" (3.5 – 3.82cm) mortise Cylinder. Classroom function supplied with straight

Cam.

Cams: Cams for other manufacturer's cylinders are available

See "Mortise Lock accessories" for part numbers &

Manufacturers

ALL PDL6500 MORTISE LOCKS ARE WEATHER-RESISTANT PLEASE CHECK WITH FACTORY ON LEAD TIMES FOR SPECIAL FINISHES

PRODUCT	FINISH	LIST PRICE
PDL6500CR (L) or (R)		
Straight lever classroom function	26D	\$1,951.00
Specify left or Right Handing	10B	\$2,018.00
PDL6600CR (L) or (R)		
Straight lever classroom function	26D	\$2,003.00
Specify left or Right Handing	10B	\$2,070.00
w/door position switch		
PDL6575CRR		
Regal (curved) lever classroom	26D	\$1,967.00
Function right hand	10B	\$2,034.00
PDL6575CRL		
Regal (curved) lever classroom	26D	\$1,967.00
Function left hand	10B	\$2,034.00
PL6500CRR (prox only)		
Straight lever classroom function	26D	\$1,951.00
Right hand	10B	\$2,018.00
PL6500CRL (prox ony)		
Straight lever classroom function	26D	\$1,951.00
Left Hand	10B	\$2,018.00
PL6575CRR (prox only)		·
Regal (curved) lever classroom	26D	\$1,967.00
Function right hand	10B	\$2,034.00
PL6575CRL (prox only)		·
Regal (curved) lever classroom	26D	\$1,967.00
Function left hand	10B	\$2,034.00



TRILOGY NETWORX ELECTRONIC DIGITAL MORTISE LOCKS (con't)

AL-IME	Ethernet connected gateway w/AC adapter to plug into standard wall outlet	\$510.00
AL-IIVIL	adapter to plug into standard wan outlet	\$310.00
	Wi-Fi gateway to connect to 802.11	
AL-IM80211	network w/AC adapter to plug into	\$710.00
	standard wall outlet.	
	Power Over Ethernet, plus hardwire	
AL-IMEPOEP	gateway interface capability. No AC	\$610.00
	Power required.	
AL-PRE	Prox Card Enroller	\$590.00
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00
	Proximity, Magnetic Stripe and Photo	
ALHID1336	ID cards 100 per box	\$1,030.00
	Proximity and Photo ID	
ALHID1386	Card 100 per box	\$927.00
ALHID1391	MicroProx Tag 10 per box	\$82.00
ALHID1346	Proximity keyfob 10 per box	\$118.00
	Trilogy DL-Windows and Networx	
	Connectivity software training videos	
	divided into 4 easy to follow sections	
	conducted into a classroom style	0.00 + 15.95 shipping and handling
ALTRAINDVD	environment. Training videos cover	charge. Please contact customer service at
	basics, getting started, schedules and	1-800-ALA-LOCK to place your order via
	times zones, programming Trilogy locks	credit card, or email
	via a laptop and the DTM along with how	sales@alarmlock.com
	to connect and bring Networx on line.	
AL-IME-USB	USB Gateway	\$300.00
AL-NSG	Networx Signal Generator	\$240.00
AL NOM	N. C. IM.	# 2 07.00
AL-NSM	Networx Signal Meter	\$296.00

MORTISE LOCK PARTS

CLASSROOM FUNCTION CAMS	DESCRIPTION	LIST PRICE
HW956-L	Alarm Lock Standard Straight Cam	\$5.00
HW956-M	Marks Straight Cam	\$5.00
HW956-C	Corbin-Russwin Straight Cam	\$5.00
HW956-S	Schlage Straight Cam	\$5.00
HW956-A	Arrow Straight Cam	\$5.00
HW956-R	Sargent Straight Cam	\$5.00
S6175	Replacement lever support spring	\$5.00
S6192	Lever and spring upgrade kit Standard lever – 26D, 10B	\$54.00
S6193	Lever and spring upgrade kit Regal lever – 26D, 10B	\$80.00
HW870CRL	Left Hand Classroom lock body	\$171.00
HW875CRR	Right hand Classroom lock body	\$171.00
S6196	Networx Replacement Battery Pack	\$45.00



Extended sizes:

thicker doors.

extended lock.

W54 - 2 1/8"

W57 - 2 1/4"

W60 - 2 3/8"

W64 - 2 1/2"

W70 - 2 3/4"

W83 - 3 1/4"

W89 - 3 1/2"

Note: Locks can be

adding or removing

adjusted by +/- 1/8" by

W76 - 3"

spacers.

Standard and SFIC cylinder

preps can be extended for

\$165.00 add on to list for

Extended lock legend:

Price Book 2017

TRILOGY NETWORX iCLASS w/REX & DPS PROXMITY DIGITAL LOCKS

PDL8200 SERIES - Prox and digital cylindrical lock supporting 5,000 PIN user codes (3-6 digits), and a 13.56 MHz iClass smart card proximity reader. 500 scheduled events and 35,000 event audit log.

SPECIFICATIONS:



Request to exit

(REX); real time

when integrated

with CIC, Lenel,

Stanley B.A.S.I.S.

When used on

at door, will

Networx: sound

record on audit

trail. Must pull

audit log to view.

Fits 1 5/8" to 1 7/8". Other thickness, Door Thickness:

please consult factory

² 3/4" (2 3/8" also available) Backset:

Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"

ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw

reversible

Handing: Non-handed

4 C-cell batteries (included) Power:

Keypad: All metal, 12 button. Basic functions programmed through the keypad.

Door prep: Standard ANSI A115 Series prep, modified by

adding additional through-bolt holes Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed

UL Listed 10C Positive Pressure Specification. FCC

Certified . ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all

key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Standard model accepts 6 & 7 pin cylinders from Interchangable Core Models: Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba

Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco,

Sargent, Corbin-Russwin & Schlage are also available

ALL NETWORX LOCKS ARE WEATHER RESISTANT

PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS

PRODUCT	FINISH	LIST PRICE
PDL8200	26D	\$2,018.00
Standard key override	10B	\$2,090.00
PDL8275		
Standard Key override	26D	\$2,044.00
Regal (curved)	10B	\$2,106.00
PDL8200IC*	26D	\$2,034.00
Interchangeable core	10B	\$2,101.00
PDL8275IC*	26D	\$2,054.00
Interchangeable core Regal (curved)	10B	\$2,116.00
	Ethernet connected gateway w/AC	
AL-IME	adapter to plug into standard wall outlet	\$510.00
	Wi-Fi gateway to connect to 802.11	
AL-IM80211	network w/AC adapter	\$710.00
	Power Over Ethernet, plus hardwire	
AL-IMEPOEP	gateway interface capability. No AC	\$610.00
	Power required.	
AL-PRE	Prox Card Enroller	\$590.00
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00
	Proximity, Magnetic Stripe and Photo	
ALHID1336	ID cards 100 per box	\$1,030.00
	Proximity and Photo ID	
ALHID1386	Card 100 per box	\$927.00
ALHID1391	MicroProx Tag 10 per box	\$82.00
ALHID1346	Proximity keyfob 10 per box	\$118.00
S6196	Networx Replacement Battery Pack	\$45.00
AL-IME-USB	USB Gateway	\$300.00
AL-NSG	Networx Signal Generator	\$240.00
AL-NSM	Networx Signal Meter	\$296.00
AATICOME OF IT CAME AND A	D" for Cougant "V" for Vale and "C" for C	11 4 1 641 4 1 6

^{*}Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note**MUST SPECIFY 7 PIN FOR CORBIN AND YALE*



*Note:

Request to exit

(REX); real time

when integrated

with CIC, Lenel,

Stanley B.A.S.I.S.

When used on

at door, will

Networx; sound

record on audit

trail. Must pull

audit log to view.

TRILOGY NETWORX ELECTRONIC iCLASS PROXMITY DIGITAL MORTISE LOCKS w/REX & DPS

PDL8600 – iClass Prox and Digital mortise lock supporting 5,000 PIN user codes (3-6 digits) with a 13.56 MHz iClass smart card proximity reader. 500 scheduled events and 35,000 event audit log.

SPECIFICATIONS:

Door Thickness: Fits 1 3/8" to 1 7/8" (4.46cm).

Backset: 2 3/4" standard

Strike: 1 1/4" x 4 7/8" strike included

Handing: Specify RH or LH when ordering, lock is reversible

In the field

Power: 4 C- cell batteries (included)

Keypad: All metal, 12 button. Basic functions programmed

through keypad.

Door prep: Standard ANSI A115 Mortise prep, modified by

adding additional through-bolt holes

Compliances: Steelcase lock body meets BHMA specifications

For Grade 1 locks. UL listed to the 10C Positive Pressure Specification. FCC Certified. ADA

compliant levers

Functions: Classroom function feature stainless steel latchbolt

With 3/4" (1.91cm) projection and deadlocking latch.

Cylinder: 1 3/8" (3.5cm) mortise cylinder supplied. Will

Accept 1 3/8" to 1 1/2" (3.5 – 3.82cm) mortise Cylinder. Classroom function supplied with straight

Cam.

Cams: Cams for other manufacturer's cylinders are available

See "Mortise Lock accessories" for part numbers &

Manufacturers

ALL PDL8600 MORTISE LOCKS ARE WEATHER-RESISTANT PLEASE CHECK WITH FACTORY ON LEAD TIMES FOR SPECIAL FINISHES

PRODUCT	FINISH	LIST PRICE
PDL8600CRR		
Straight lever classroom function	26D	\$2,106.00
Right Hand	10B	\$2,173.00
PDL8600CRL		
Straight lever classroom function	26D	\$2,106.00
Left Hand	10B	\$2,173.00
PDL8675CRR		
Regal (curved) lever classroom	26D	\$2,121.00
Function right hand	10B	\$2,188.00
PDL8675CRL		
Regal (curved) lever classroom	26D	\$2,121.00
Function left hand	10B	\$2,188.00
PL8600CRR (prox only)		
Straight lever classroom function	26D	\$2,106.00
Right hand	10B	\$2,173.00
PL8600CRL (prox ony)		
Straight lever classroom function	26D	\$2,106.00
Left Hand	10B	\$2,173.00
PL8675CRR (prox only)		
Regal (curved) lever classroom	26D	\$2,121.00
Function right hand	10B	\$2,188.00
PL8675CRL (prox only)		
Regal (curved) lever classroom	26D	\$2,121.00
Function left hand	10B	\$2,188.00





TRILOGY NETWORX ELECTRONIC DIGITAL MORTISE LOCKS (con't)

	Ethernet connected gateway w/AC	
AL-IME	adapter to plug into standard wall outlet	\$510.00
AL-IM80211	Wi-Fi gateway to connect to 802.11 network w/AC adapter to plug into standard wall outlet.	\$710.00
AL-IMEPOEP	Power Over Ethernet, plus hardwire gateway interface capability. No AC Power required.	\$610.00
AL-PRE	Prox Card Enroller	\$590.00
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,030.00
ALHID1386	Proximity and Photo ID Card 100 per box	\$927.00
ALHID1391	MicroProx Tag 10 per box	\$82.00
ALHID1346	Proximity keyfob 10 per box	\$118.00
ALTRAINDVD	Trilogy DL-Windows and Networx Connectivity software training videos divided into 4 easy to follow sections conducted into a classroom style environment. Training videos cover basics, getting started, schedules and times zones, programming Trilogy locks via a laptop and the DTM along with how to connect and bring Networx on line.	\$0.00 + \$15.95 shipping and handling charge. Please contact customer service at 1-800-ALA-LOCK to place your order via credit card, or email sales@alarmlock.com
AL-IME-USB	USB Gateway	\$300.00
AL-NSG	Networx Signal Generator	\$240.00
AL-NSM	Networx Signal Meter	\$296.00

MORTISE LOCK PARTS

CLASSROOM FUNCTION CAMS	DESCRIPTION	LIST PRICE
HW956-L	Alarm Lock Standard Straight Cam	\$5.00
HW956-M	Marks Straight Cam	\$5.00
HW956-C	Corbin-Russwin Straight Cam	\$5.00
HW956-S	Schlage Straight Cam	\$5.00
HW956-A	Arrow Straight Cam	\$5.00
HW956-R	Sargent Straight Cam	\$5.00
S6175	Replacement lever support spring	\$5.00
S6192	Lever and spring upgrade kit Standard lever – 26D, 10B	\$54.00
S6193	Lever and spring upgrade kit Regal lever – 26D, 10B	\$80.00
HW870CRL	Left Hand Classroom lock body	\$171.00
HW875CRR	Right hand Classroom lock body	\$171.00
S6196	Networx Replacement Battery Pack	\$45.00



NEW TRILOGY NETWORX ACCESSORIES



AL-IME2	Ethernet connected gateway w/AC adapter to plug into standard wall outlet. Version 2 - allow use of expander \$475.00			
AL-IM2-80211	Wi-Fi gateway to connect to 802.11 network w/AC adapter to plug into standard wall outlet. Version 2 - allow use of expander			
AL-IME2-POEP	Power Over Ethernet, plus hardwire gateway interface capability. No AC Power required. Version 2 - allow use of expander	\$575.00		
AL-IME2-EXP	Wireless expander designed to expand the coverage area of version 2 gateways. AC power required. Up to 7 expanders per version 2 gateway	\$250.00		
AL-IME2-PIE	Plug-in wireless expander designed to expand the coverage area of version 2 gateways. Plugs into a standard AC outlet. Up to 7 expanders per version 2 gateway	\$250.00		

Note: AL-IME2-EXP and AL-IME2-EXP will only work with v2 gateways



TRILOGY NETWORX EXIT TRIM PRODUCTS

Battery operated Trilogy outside trim works with Marks M9900, Von Duprin 99, Corbin ED5000, Yale 7100, Dorma 9300, Arrow 3800, Sargent 8888, Precision 1100, 2100 & Cal Royal 9800 series panic devices. Available in DL series (keypad) or PDL (prox/keypad) formats. Features include 5,000 user codes, 500 scheduled events and 35,000 event audit log.

SPECIFICATIONS:

Cylinder: Uses standard rim cylinder to operate key override

function. Will accept 6 or 7 pin interchangeable

core cylinders – see below.

Handing: Non-handed

Power: 4 C-cell batteries (included) mounted on inside

of door.

Keypad: Weather-resistant all metal, 12 button. Basic functions

Programmable through the keypad.

PDL version proximity antenna housing molded of ultra high strength, impact resistant Lexan®



ALL ET SERIES LOCKS ARE WEATHER-RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES

PRODUCT	DESCRIPTION	LIST PRICE			
ETDLN series	26D Finish	\$1,426.00			
ETDLN series	10B Finish	\$1,493.00			
ETDLN series w/Regal lever	26D Finish	\$1,447.00			
ETDLN series w/Regal lever	10B Finish	\$1,503.00			
ETPDN series	26D Finish	\$1,766.00			
ETPDN series	10B Finish	\$1,828.00			
ETPDN series w/Regal lever	26D Finish	\$1,781.00			
ETPDN series w/Regal lever	10B Finish	\$1,843.00			
ETPDNSRX w/REX and DPS	26D Finish	\$1,817.00			
ETPDNISRX iClass w/REX and DPS	26D Finish	\$1917.00			
	26D Finish	\$1,766.00			
ETPLN series	10B Finish	\$1,828.00			
	26D Finish	\$1,781.00			
ETPLN series w/Regal lever	10B Finish	\$1,843.00			
Specify finish on adapter kit	Alarm Lock Standard Rim Cylinder				
ET- AL Finish = 26D & US10B	Adapter kit (Schlage C keyway)	\$57.00			
	Arrow Standard Rim Cylinder	\$37.00			
ET- AR Finish = 26D & US10B	Adapter kit	\$57.00			
E1- AR THIISH - 20D & USTOB	ASSA Standard Rim Cylinder	\$37.00			
ET- AS Finish = 26D & US10B	Adapter kit	\$57.00			
L1-A51 misii 20D & O510B	Corbin Standard Rim Cylinder	\$37.00			
ET – C Finish = 26D & US10B	Adapter kit	\$57.00			
E1 C I IIISII 20D & CS10D	Medeco Standard Rim Cylinder	ψ57.00			
ET – M Finish = 26D & US10B	Adapter kit	\$57.00			
E1 WITHISH 20D & CSTOD	Sargent Standard Rim Cylinder	ψ57.00			
ET - R Finish = 26D & US10B	Adapter kit	\$57.00			
202 60 00102	Schlage Standard Rim Cylinder	φ57.00			
ET - S Finish = 26D & US10B	Adapter kit	\$57.00			
	Yale Standard Rim Cylinder	44,144			
ET - Y Finish = 26D & US10B	Adapter kit	\$57.00			
	Arrow IC 6 & 7 Pin Rim Cylinder	******			
ET – ARIC Finish = 26D & 10B	Adapter kit	\$79.00			
	Best IC 6 & 7 Pin Rim Cylinder				
ET - BIC Finish = 26D & US10B	Adapter kit	\$79.00			
	Corbin IC Rim Cylinder				
ET - CIC Finish = 26D & US10B	Adapter kit	\$79.00			
	Medeco IC 6 & 7 Pin Rim Cylinder				
ET – MIC Finish = 26D & US10B	Adapter kit	\$79.00			



TRILOGY NETWOX EXIT TRIM PRODUCTS (CONT'D)

Product	Description	LIST PRICE		
	Sargent IC Rim Cylinder			
ET - RIC Finish = $26D$, $10B$	Adapter kit	\$79.00		
	Schlage IC Rim Cylinder			
ET - SIC Finish = 26D, 10B	Adapter kit	\$79.00		
	Yale IC 6 Pin Rim Cylinder			
ET - YIC Finish = 26D, 10B	Adapter kit	\$79.00		
	Ethernet connected gateway w/AC			
AL-IME	adapter to plug into standard wall outlet	\$510.00		
	Wi-Fi gateway to connect to 802.11			
AL-IM80211	network w/AC adapter to plug into	\$710.00		
	standard wall outlet.	** ***		
	Power Over Ethernet, plus hardwire			
AL-IMEPOEP	gateway interface capability.	\$610.00		
	No AC Power required.			
AL-PRE	Prox Card Enroller	\$590.00		
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00		
	Proximity, Magnetic Stripe and Photo			
ALHID1336	ID cards 100 per box	\$1,030.00		
	Proximity and Photo ID			
ALHID1386	Card 100 per box	\$927.00		
ALHID1391	MicroProx Tag 10 per box	\$82.00		
ALHID1346	Proximity keyfob 10 per box	\$118.00		
S6196	Networx Replacement Battery Pack	\$45.00		
S6190	Exit Trim Service Kit	\$151.00		
S6191	Lever and spring upgrade kit	\$61.00		
	Standard lever – 26D, 10B			
S6193	Lever and spring upgrade kit			
	Regal lever – 26D, 10B	\$78.00		

NETWORX EXIT TRIM KITS W/MARKS M9900 PANIC BAR

PRODUCT	DESCRIPTION	LIST PRICE
ETDLN-M99K	26D Finish	\$1,850.00
ETPDN-M99K	26D Finish	\$2,190.00

TRILOGY EXIT TRIM PRODUCTS PARTS

EXTENDED SPINDLES MUST BE PURCHASED SEPARATELY

S6146	Extend exit trim to fit $2 - 2\sqrt[3]{4}$ doors	\$112.00
Extended Spindle and screws		
S6147	Extend exit trim to fit 3 – 4" doors	\$112.00
Extended Spindle and screws		
S6195	Extend exit trim to fit 4 1/4 - 5" doors	\$112.00
Extended Spindle and screws		
	Extended replacement screws with	
SC544	adjustable lengths (4 per unit)	\$21.00

PLEASE SEE "HOW TO ORDER" CHART ON PAGE 46 TO PROPERLY ORDER YOUR TRILOGY EXIT TRIM.

IF YOU REQUIRE THE LOCK TO BE PREPPED FOR A THICKER DOOR, YOU MUST ORDER BASED ON THE SELECTIONS SHOWN. THE BASIC MODEL IS PREPPED FOR A 1 5/8" TO 1 7/8" DOOR.


**** PRECISION 2100 SERIES WILL WORK WITH THE VON DUPRIN 99 PREP. YOU MUST GET A MOUNTING PLATE PART # 2141208 FROM PRECISION****



HOW TO ORDER YOUR TRILOGY NETWORX EXIT LOCK

Below is a "How to Order" guide for the Trilogy Exit Trim products. Please follow this guide when placing orders to avoid any delay in processing your order.

All units are sold with a generic cylinder adapter installed. When you are using a specific brand of rim cylinder, you must purchase a Cylinder Adapter Kit from the chart below.





TRILOGY NETWORX WIRELESS KEYPADS AND NETPANEL

Trilogy Networx Wireless Keypads and Netpanel combine to provide the ideal wireless keypad solution for use with mag locks, strikes and electrified exit devices in a smart access system with advanced features and functions, like automatic schedules, event logs and supports for 2000 doors and 5000 existing Prox ID Cards/Badges.

SPECIFICATIONS:

Networx Keypads NETDK / NETPDK

- Power Requirements: 12VDC supplied by NETWORXPANEL
- Idle Current: 10mA
- Maximum Wire Length: 200 feet (61m)
- Proximity Card Formats Supported: Alarm Lock
- standard 36 bit format or HID standard 26 bit format

(for use with the model NETPDK only)

Networx Panel NETWORXPANEL

- Input Power: 16.5VAC via Class 2 Plug-In 50VATransformer (supplied model TRF-14)
- Maximum Lock Power Output Current: 1.5A @12VDC
- Maximum Wiegand Power Output Current:
- 250mA @ 12VDC
- Maximum Wiegand Red and Green LED Current: 20mA each output
- Maximum Sounder Current: 100mA
- Maximum Keypad Power Output Current: 200mA@ 12VDC
- Primary and Secondary Relays: SPDT Form C, N/O, N/C 8A @ 30VAC or VDC
- Supplied Backup Battery: Sealed Lead Acid 4AH
- Battery Backup Time: Approximately 2 hours at full load



Note: In order for NETDK OR NETPDK to operate you MUST include a NETWORXPANEL

ALL NETDK/PDK KEYPADS ARE WEATHER RESISTANT

PRODUCT	FINISH	LIST PRICE
NETDK Digital wireless keypad only	26D, 10B	\$309.00
NETPDK Digital & Prox wireless keypad only	26D, 10B	\$633.00
NETDKPAK Digital wireless wall mounted keypad kit, includes wall mounted reader, control panel w/door position switch with RX, remote release, battery backup and plug in transformer.	26D, 10B	\$1,050.00
NETPDKPAK Digital & HID wireless wall mounted keypad kit, includes wall mounted reader, control panel w/door position switch with RX, remote release, battery backup and plug in transformer.	26D, 10B	\$1,375.00



TRILOGY NETWORX WIRELESS KEYPADS AND NETPANEL (con't)

	1			
NETWORXPANEL	NETWORX wireless control panel only, used with Networx NETDK and NETPDK readers and approved wiegand input readers.	\$741.00		
NETHIDNSPAK Networx Narrow Stile Pak	HID Narrow Stile Prox point reader, control panel w/door position switch with RX, remote release, and battery backup and plug in transformer.	\$957.00		
NETHIDNS Networx Narrow Stile Reader	HID Narrow Stile Prox Point Reader Only	\$157.00		
AL-IME	Ethernet connected gateway w/AC adapter to plug into standard wall outlet	\$510.00		
AL-IM80211	Wi-Fi gateway to connect to 802.11 network w/AC adapter to plug into standard wall outlet.	\$710.00		
AL-IMEPOEP	Power Over Ethernet, plus hardwire gateway interface capability. No AC Power required.	e \$610.00		
AL-PRE	Prox Card Enroller	\$590.00		
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00		
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,030.00		
ALHID1386	Proximity and Photo ID Card 100 per box	\$927.00		
ALHID1391	MicroProx Tag 10 per box	\$82.00		
ALHID1346	Proximity keyfob 10 per box	\$118.00		
BT102	Networx Panel Replacement Battery	\$55.00		
S6187	Replacement ET Networx Radio	\$185.00		
S6185 (specify finish)	Replacement Inside Housing for DL/PDL6100 (includes radio)	\$288.00		
AL-IME-USB	USB Gateway	\$300.00		
AL-NSG	Networx Signal Generator	\$240.00		
AL-NSM	Networx Signal Meter	\$296.00		
ALTRAINDVD	Trilogy DL-Windows and Networx Connectivity software training videos divided into 4 easy to follow sections conducted into a classroom style environment. Training videos cover basics, getting started, schedules and times zones, programming Trilogy locks via a laptop and the DTM along with how	\$0.00 + \$15.95 shipping and handling charge. Please contact customer service at 1-800-ALA-LOCK to place your order via credit card, or email sales@alarmlock.com		
	to connect and bring Networx on line.			



TRILOGY & NETWORX REMOTE RELEASE PRODUCTS











PRODUCT	DESCRIPTION	LIST PRICE
RR-TRILOGYKIT	Remote release kit for all Trilogy Cylindrical models includes the RR- 1BUTTON for desk mount applications and RR-RECEIVER which is designed to be installed inside the battery compartment next to the battery pack of any cylindrical Trilogy lock. The RR- RECEIVER connects to the 2 white remote release wires inside the battery compartment and to the black and red battery pack wires to power the receiver. These kits will retro fit to any existing cylindrical Trilogy manufactured since 1994.	\$221.00
RR-RECEIVER	RR-RECEIVER is designed to be installed next to the battery pack of any cylindrical Trilogy lock. The RR-RECEIVER connects to the 2 white remote release wires and to the black and red battery pack wires and will retro fit to any existing cylindrical Trilogy manufactured since 1994. You will need to purchase separately either an RR-1BUTTON OR 4BKEYFOB to activate the receiver	\$128.00
RR-1BUTTON	Remote release desk mounted button designed to be used with any existing Networx lock enrolled with a simple keypad program. Must update the firmware of your existing Networx Lock. Also can be used with an RR-RECEIVER to any existing Trilogy Cylindrical Lock, RR-RECEIVER sold separately.	\$92.00
RR-4BKEYFOB	Remote release 4 button key fob designed to be used with any existing Networx lock enrolled with a simple keypad program. Must update the firmware of your existing Networx Lock. Also can be used with an RR-RECEIVER to any existing Trilogy Cylindrical Lock, RR-RECEIVER sold separately.	\$103.00
RR-MORTISEKIT RR-EXITTRIMKIT	Remote release kit for Mortise Locks Remote release kit for Exit Trim Locks *Both include RR-1BUTTON and RECEIVER mounted on a Lexan battery cover.*	\$242.00 \$242.00

Note: The Remote Release Products follow the Networx Discount Structure. Will not work with Narrow Stile series locksets.



TRILOGY NETWORX UPGRADE KITS

PRODUCT	DESCRIPTION	LIST PRICE
DL610026DUPGRD	Component kit to upgrade a standard Trilogy cylindrical model to a DL6100 Networx model. Kit includes a Networx outside digital keypad housing, inside housing with radio and a battery pack. Upgrade kit is designed to replace the existing and install in place same components, reusing the existing levers, cylinder, lock body & strike plate. Used with a Networx gateway purchased separately.	\$875.00
PDL610026DUPGRD	Component kit to upgrade a standard Trilogy cylindrical model to a PDL6100 Networx model. Kit includes a Networx outside HID Prox & digital keypad housing, inside housing with radio and a battery pack. Upgrade kit is designed to replace the existing and install in place same components, reusing the existing levers, cylinder, lock body & strike plate. Used with a Networx gateway purchased separately.	\$1,287.00
DL650026DUPGRD	Component kit to upgrade a standard Trilogy mortise lock model to a DL6500CR Networx model. Kit includes a Networx outside digital keypad housing, inside housing with radio, inside/outside levers and a battery pack. Upgrade kit is designed to replace the existing and install in place same components, reusing the existing cylinder, lock body & strike plate. Used with a Networx gateway purchased separately.	\$1,158.00
PDL650026DUPGRD	Component kit to upgrade a standard Trilogy mortise lock model to a PDL6500CR Networx model. Kit includes a Networx HID Prox & outside digital keypad housing, inside housing with radio, inside/outside levers and a battery pack. Upgrade kit is designed to replace the existing and install in place same components, reusing the existing, cylinder, lock body & strike plate. Used with a Networx gateway purchased separately.	\$1,493.00
PDL8200/26DUPGD	Component kit to upgrade a standard Trilogy cylindrical model to a PDL8200 iClass Networx model. Kit includes a Networx outside iClass Prox & digital keypad housing, inside housing with radio and a battery pack. Upgrade kit is designed to replace the existing and install in place same components, reusing the existing levers, cylinder, lock body & strike plate. Used with a Networx gateway purchased separately.	\$1,437.00



ArchiTechTM Series Networx Locks

Ideal access control solution; elegantly blending advanced wireless access control convenience within any decor, in attractive, infinitely customizable designer locking form, in choice of trims and finishes.



Features:

5000 Users, 500 Scheduled Events & 40,000 Event Audit Trail
Surface-Mount or Mortised - in Electronics and Battery Pack
Lock available in Mortise and Cylindrical versions
Real Time Clock - Uses 4 AA Batteries – 3 to 4-year battery life
Operated via access card, fob, key fob etc
DL-Windows Software for programming
USB Radio Key Programming Method or Via Networx Gateways
Manual Card Enrollment Option for Quick Installation
Wireless programming range: up to 20 ft. from lock

Specifications:

ANSI / BHMA Grade 1 Certified, UL Listed 3 Hours
Includes standard lever rose hardware design
Compatible with all 300+ optional architectural trim / lever or knob designs
Stainless steel latch, 2-3/4" backset
Auto-Reverse lock body tested to 6 million cycles
Lock Body - Self cleaning long life motor
Door closure monitor / electronic deadbolt monitor
Key override standard or high-Security
Optional integrated door position indicator switch



Cylindrical
Standard model ordering. Consult factory for ordering assistance.

PRODUCT	LIST PRICE
N90S2195F26D	\$880.00
N90S1195F26D	\$880.00

ArchiTech Cylindrical Lever and Lever Prep Options


Options	195	295	395	495	Finish	Add-on	Cylinder Prep Code
Yale Conventional	Yes	No	No	No	26D, 10B	\$30.00	F7
Sargent Conventional	Yes	Yes	No	No	26D, 10B	\$30.00	F8
Corbin Conventional	Yes	Yes	No	No	26D, 10B	\$30.00	F9
Corbin 6 Pin IC	Yes	Yes	No	No	26D, 10B	\$30.00	F12
Corbin 7 Pin IC	Yes	No	No	No	26D, 10B	\$30.00	F13
Yale 6 Pin IC	Yes	Yes	No	No	26D, 10B	\$30.00	F14
Yale 7 Pin IC	Yes	No	No	No	26D, 10B	\$30.00	F15
Schlage 6 Pin IC	Yes	Yes	No	No	26D, 10B	\$30.00	F19
Sargent IC	Yes	Yes	No	No	26D, 10B	\$30.00	F20
Medeco IC (large format)	Yes	Yes	No	No	26D, 10B	\$30.00	F21

Note: Please consult factory for availability of other finishes. Round rose place only available with cylindrical version (3.5" diameter). IC core models: tail piece included, core not included.



AtchiTech Cylindrical (con't)


195: American Lever 295: Crescent Lever 395: Monaco Lever 495: Titan Lever



The standard list price of a standard ArchiTech cylindrical lock is \$880.00 (American Lever, SC1 keyway)

- add \$100 onto list for iClass
- add \$100 onto list for Bluetooth
- add \$50 onto list for keying

How To Order for ArchiTech Cylindrical



Functions for ArchiTech Mortise Locks

FD (**Apartment**) - Latch by knob/lever either side except when outside locked by stop-button or projected deadbolt. Latch deadlocked by auxiliary latch or deadbolt. Deadbolt and latch by key outside. Deadbolt by turn piece inside. Inside knob/lever retracts latch & deadbolt simultaneously, leaving outside locked.

EW (Storeroom) - Latch by knob/lever inside, key outside. Outside knob/lever always rigid. Auxiliary latch deadlocks latch. Inside always open.


AD (Automatic deadbolt) - Latch deadlocked by deadbolt automatically when door closes. Deadbolt and latch by key or credential outside. Inside knob/lever retracts latch & deadbolt simultaneously, leaving outside locked.

ArchiTech Mortise

Standard model ordering. Infinite custom models available for mortise version. Consult factory for ordering assistance.

PRODUCT	LIST PRICE
N95S2RX92FD26D	\$1,100.00
N95S1RW86FD26D	\$1,100.00

How To Order for ArchiTech Mortise





ArchiTech Series – Mortise Lockset Options

- 1. Insert (N951) or Surface mount (N95S) electronics
- 2. Oval, square, or mag reader
- 3. Features: Bluetooth or iClass
- 4. Function: storeroom (EW), Apartment (FD), or automatic deadbolt (AD)
- 5. Lever style (knob is also available)
- 6. Rose plate style
- 7. If escutcheon plate will be needed (consult factory)
- 8. Keying needed
- 9. Finish currently 26D/32D and 10B is offered. Consult factory for other finishes.

The standard list price of a standard ArchiTech mortise lock is \$1,100.00 (American Lever, round rose)

- add \$100 onto list for iClass
- add \$100 onto list for Bluetooth
- add \$50 onto list for keying
- add \$50 onto list for any other lever design other than American (92)

Lever, knob and rose options. The code would be the number/letter underlined.

S	Round Knob 10	Ball Knob 20	Ball Knob <u>30</u>	Eclipse Knob 60		RR: 2-9/16" dia.
KNOBS						RW: 2-9/16" dia.
	Stanhope Lever 44	Madison Lever <u>52</u> Specify handing	Brompton Lever <u>55</u>	Monaco Lever <u>57</u> Specify handing	S	
					ROSES	RQ: 2-1/4" dia.
3S	Towne Lever 72	Maxwell Lever <u>77</u>	Omni Lever <u>78</u>	Plaza Lever <u>82</u> Specify handing	_	
LEVERS						RS: 2-1/4" dia.
	Dayton Lever 83 Specify handing	Crescent Lever 86	American Lever <u>92</u>	Titan Lever <u>96</u>	BX:2-9	0/16"sq. RK:2-9/16"sq.
		V			I	Wrought Forged

Additional notes:

N95S (surface mount electronics, oval, square, and swipe (mag) reader available)

N95I (insert electronics, oval and square reader available)

N95J (insert electronics, Bluetooth, oval and square reader available)

N95T (surface mount electronics, Bluetooth, oval, square and swipe (mag) reader available)



ArchiTechTM Series Networx Locks Parts and Accessories

Product	DESCRIPTION	LIST PRICE
AL-IME	Ethernet connected gateway w/AC adapter to plug into standard wall outlet	\$510.00
AL-IM80211	Wi-Fi gateway to connect to 802.11 network w/AC adapter to plug into standard wall outlet.	\$710.00
AL-IMEPOEP	Power Over Ethernet, plus hardwire gateway interface capability. No AC Power required.	\$610.00
AL-IME-USB	USB Gateway	\$300.00
AL-NSM ALHID1326	Networx Signal Meter Proximity Access Cards 100 Per Box	\$296.00 \$505.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box Proximity and Photo ID	\$1,030.00
ALHID1386 ALHID1391	Card 100 per box MicroProx Tag 10 per box	\$927.00 \$82.00
ALHID1346	Proximity keyfob 10 per box	\$118.00

ArchiTechTM Series Networx Locks Mounted Samples

Cylindrical

PRODUCT	LIST PRICE
N90S1295SK26D	consult factory
S90S1195SK26D	consult factory
N90S1195SK26D	consult factory

Mortise

With tisc	
PRODUCT	LIST PRICE
N95S1RW86SK26D	consult factory

New! iLock App

iLock® App: Unlocks Networx or ArchiTech™ Series Door Locks in seconds!



Introducing iLock®, the easy smartphone mobile solution for unlocking your Trilogy® Networx™ or ArchiTech™ Series Designer Access Control Locks from any smart device without the need to carry cumbersome ID cards or keys. Password protected access is secure through the use of Bluetooth LE and proprietary encryption. Additionally, an optional feature can be utilized, requiring a password for each unlock request.

The Key is Your Smartphone & More Secure Technology

Any Smart Device can be the



card displayed on your smartphone, for your security, ArchiTech & its iLock App are wirelessly linked together, each supplying its portion of stored encrypted data to provide secure access without a key, fuss or worry, ensuring user identities. A unique combination of convenience and cloneproof peace of mind, the ArchiTech platform uses universally-compatible Bluetooth LETM technology, so they can use any smart device to unlock ArchiTech on your door(s); and do so from afar, at a comfortable, customizable range of up to 30 feet away. For even greater security users can add an optional passcode, entered on their phone App. Coming soon: emailable digital eKeys for guests or service temporary access. Inc.

iLock App is available from both iTunes and the Google Play Store





WEATHER-RESISTANT ALARMED PANIC LOCKS

Models 250, 260, 700, 710 Battery operated alarmed panic locks. All models

(except 11A) feature deadbolt & deadlatch for extra security.

Selectable 2-minute or constant alarm.

260/710. All models (except 11A) feature a 2-minute auto

re-set on the alarm.

SPECIFICATIONS:

Cover: Die-cast metal

Push Bar: Extruded Aluminum channel and push bar Handed: All models non-handed except 11A

Installation: Surface mounted for single or double doors

Cylinder: Accepts most standard size rim cylinders for inside

And outside key control (not included)

Power: Uses 1 9v battery (included). Normal battery life 1

Year. Can be powered by AC power by using either

PP100 or AC9.

Lock bolt: 1" throw heavy die cast with reinforced

Steel inserts.

Alarm: Dual piezo siren measured at 95db

PRODUCT	FINISH	LIST PRICE
250WP (PADDLE)	US28	\$538.00
700WP (36" BAR)	US28, US312 & Red	\$654.00
700X48WP (48" BAR)	US28 & US312	\$654.00
710WP (36"BAR)	US28	\$677.00
CER-KD CER-12345		
Rim Cylinder for Outside & Inside	Solid Brass Body	
Key Control	Satin Chrome Face	\$32.00
730		
Single Door Strike for 250,260,700 & 710	US28 & US312	\$47.00
732		
Double Door Strike for 250,260,700 &710	US28 & US312	\$47.00
44		
Double Door Holder	Aluminum	\$131.00
707	Metallic Silver (MS)	
Exterior Door Pull use on 250,260	Metallic Bronze (MB)	\$133.00
700 & 710 only		
711	US28 & US312	
Exterior Finger Pull	Use on 250,260,700 & 710 only	\$32.00
767		
Mounting Plate for Aluminum	US28 & US312	
Glass Door	Use on 250,260,700 & 710 only	\$22.00
PP100		
Optional AC Power Supply	Aluminum	\$272.00
AC9		·
Optional AC Power Supply	Aluminum	\$77.00
S6173	Replacement WP battery	\$37.00



ALARMED PANIC DEVICES

Models 250, 260, 700, 710 &11A- Battery operated alarmed panic locks. All models

(except 11A) feature deadbolt & deadlatch for extra security. Selectable 2-minute or constant alarm. 260/710. All models (except 11A) feature a 2-minute auto

$\label{eq:control} \textbf{re-set on the alarm.} \\ \textbf{SPECIFICATIONS:}$

Control of California (1) Ook

Cover: Die-cast metal

Push Bar: Extruded Aluminum channel and push bar Handed: All models non-handed except 11A Installation: Surface mounted for single or double doors

Cylinder: Accepts most standard size rim cylinders for inside

And outside key control (not included)

Power: Uses 1 9v battery (included). Normal battery life 1 Year. Can be powered by AC power by using either

PP100 or AC9.

Lock bolt: 1" throw heavy die cast with reinforced

Steel inserts.

Alarm: Dual piezo siren measured at 95db



PRODUCT	FINISH	LIST PRICE
250 (PADDLE)	US28	\$474.00
260 (PADDLE)	US28	\$517.00
700 (36" BAR)	US28, US312 & Red	\$573.00
700X48 (48" BAR)	US28 & US312	\$613.00
710 (36"BAR)	US28	\$613.00
710X48 (48"BAR)	US28	\$628.00
	Deadbolt only exit lock. Handed order	
11A	11A or 11ALH. Use BP6 Battery.	\$598.00

ACCESSORIES

CER-KD CER-12345		
Rim Cylinder for Outside & Inside	Solid Brass Body	
Key Control	Satin Chrome Face	\$32.00
730		ψ32.00
Single Door Strike for 250,260,700 & 710	US28 & US312	\$47.00
732	US28 & US312	4 1,100
Double Door Strike for 250,260,700 &710	11000 0 110010	\$47.00
, ,	US28 & US312	*
K24A	11A Single door strike	\$37.00
K28	11A Double door strike	\$42.00
K210A	11A Strike for in-swing doors	\$55.00
44		
Double Door Holder	Aluminum	\$131.00
22		
Emergency Exit Pull (250/260/11A)	Aluminum	\$92.00
707	Metallic Silver (MS)	
Exterior Door Pull use on 250,260	Metallic Bronze (MB)	\$133.00
700 & 710 only		
711	US28 & US312	
Exterior Finger Pull	Use on 250,260,700 & 710 only	\$32.00
767		
Mounting Plate for Aluminum	US28 & US312	
Glass Door	Use on 250,260,700 & 710 only	\$22.00
PP100		
Optional AC Power Supply	Aluminum	\$272.00
AC9		
Optional AC Power Supply	Aluminum	\$77.00
9936	Used to mount 11A on 36" glass door	\$94.00
9948	Used to mount 11A on 48" glass door	\$99.00
261	Current Transfer	\$72.00
BP6	Replacement battery for 11A	\$37.00



DOOR ALARMS

PG10, PG21 & PG30 SERIES – Battery operated surface mounted door alarms. Alarms magnetically activated. Easy to install. Convenient plug-in "No cut" jumpers.

SPECIFICATIONS:

Power: PG21, PG30 use 9v battery (supplied). PG10 & LL1use BP6

(supplied). BP6 must be purchased from Alarm Lock.

AC power supply can also be used as a battery back up (see below).

Alarm:

Dual piezo siren measured at 95db. Accepts most 11/4" mortise cylinder used for interior activation Cylinder:

(not supplied) and standard size rim cylinder used for exterior

activation (not supplied).

Installation: Surface mounted for single or double doors.

Cover: Die cast metal.









PRODUCT	DESCRIPTION	LIST PRICE
	Available in aluminum finish uses BP6	
PG10	Battery replaced only through Alarm Lock	\$298.00
LL1	Same as PG10 with strobe light on top.	\$309.00
	Available in metallic silver and metallic	
PG21MS PG21MB	bronze. Uses 9v battery.	\$298.00
PG21MSS/PG21MBS	Available in metallic silver and metallic bronze. Uses 9v battery with yellow strobe on top for noisy areas	\$366.00
PG30MS PG30MB	Available in metallic silver and metallic bronze. No cylinders required. All exit, entry and security levels programmed through keypad. 3 security levels, master, management and passage. Use 9v battery.	\$355.00
PG30KPD	Exterior keypad used with PG30 only.	\$205.00
CEM-KD CEM-12345	Standard mortise cylinder for interior activation. Solid brass body, satin chrome face	\$32.00
CER-KD CER-12345	Standard rim cylinder for exterior activation. Solid brass body, satin chrome face.	\$32.00
	AC battery back-up complete with	
PP100	armored cable and housing.	\$272.00
AC9	AC battery back-up housing only	\$77.00
BP6	Replacement battery for PG10 & LL1	\$37.00



DELAYED EGRESS PANIC LOCKS

715 Series - Stand alone delayed egress panic lock. 15 second delayed latch,

instant alarm. Instant egress in case of emergency or fire.

Meets NFPA 101 Life Safety Code. Includes monitoring output
for secondary siren, CCTV or remote monitoring. Smoke detector

SPECIFICATIONS:

Cover: Die cast metal

Push bar: Extruded aluminum push bar and channel

Handed: Non-handed

Installation: Surface mounted for single or double doors
Cylinder: Accepts most standard size rim cylinder used for


Inside and outside key control

Power: AC powered with 9v battery back-up for siren. Transformer

And armored cable included

Lock bolt: 1" throw heavy die cast with reinforced steel inserts

Alarm: Dual piezo siren measured at 95db



ELECTRIC DEADBOLTS

Models 103 & 104

Fail-safe or fail-secure electric deadbolts. Available In 12v or 24v AC or DC. Perfect for use on narrow stile Doors. Complete with angle, mortise or flush mount strikes. Use with standard key or push button switch.

SPECIFICATIONS:

Cover: Molded aluminum

Power: Requires 400 mA for 24v, 800mA for 12v unit Deadbolt: Powered by a continuous duty solenoid. 5/8" diameter

And 5/8" projection.

PRODUCT	DESCRIPTION	LIST PRICE
	24v AC or DC. Includes three strikes and	
103	magnets. Fail-safe	\$360.00
103x12	12v AC or DC. Includes three strikes and magnets. Fail-safe	\$424.00
104RA	24v AC or DC. Includes three strikes and magnets. Fail-secure	\$429.00
104x12	12v AC or DC. Includes three strikes and magnets. Fail-secure	\$474.00
221 / 241	24v Plug-in style transformers	\$55.00
222	24v Wire-in style transformer	\$55.00





REMOTE RELEASE MAGNET

RR-PM1200 SERIES – Stand alone remote operated infra-red mag lock. Allows remote

Lock control by a transmitting keyfob. Infra-red signal is detectable From interior and exterior sides of the door. Keyfob will operate From 10 feet on exterior side and 35 feet from interior side.

SPECIFICATIONS:

Magnet: 1200lb 12v DC magnet

Power: Includes 12v AC plug in transformer. A 12v DC power supply

Can be utilized (not included)

Keyfob: Single button, dual LED infra-red transmitting. Up to 100 keyfobs

Can be programmed into a single magnet.

Programming: Each keyfob must be presented to the magnet to enroll keyfob ID into

Software.



PRODUCT	DESCRIPTION	LIST PRICE
	Includes 1 1200lb remote magnet, one	
RR-PM1200PAK	AL-REMOTE keyfob and one 12v AC	
	transformer	\$642.00
RR-PM1200	1200lb remote magnet	\$568.00
AL-REMOTE	Remote keyfob	\$66.00

POWER MAGNETS AND REQUEST TO EXIT BUTTONS

PRODUCT	DESCRIPTION	LIST PRICE
PM600BI	600lb magnetic lock field selectable 12/24v DC 9 7/8" x 1 11/16" x 1" Aluminum finish	\$332.00
PM600L	600lb magnetic lock field selectable 12/24v DC 9 7/8" x 1 11/16" x 1" Aluminum finish L.E.D. indicator & door bond sensor for remote monitoring	\$390.00
PM1200	1200lb magnetic lock field selectable 12/24v DC 9 7/8" x 1 11/16" x 1" Aluminum finish	\$350.00
PM1200SL PM1200SL40 (dark bronze)	1200lb magnetic lock field selectable 12/24v DC 9 7/8" x 1 11/16" x 1" Aluminum finish L.E.D. indicator & door bond sensor for remote monitoring	\$406.00
PM1200SLBI	1200lb magnetic lock field selectable 12/24v DC 21" x 1 11/16" x 1" Aluminum finish L.E.D. indicator & door bond sensor for remote monitoring for use on double doors	\$734.00
PM120040	1200lb magnetic lock field selectable 12/24v DC 9 7/8" x 1 11/16" x 1" dark bronze finish	\$396.00
PM1200SLBI40	1200lb magnetic lock field selectable 12/24v DC 21" x 1 11/16" x 1" dark bronze finish L.E.D. indicator & door bond sensor for remote monitoring for use on double doors	\$734.00
PE1	Round red exit button non-illuminate Standard switch plate	\$133.00
PE2	Square green illuminated exit button Standard switch plate	\$133.00
PE2S PMA-ANGL1	Square green illuminated exit button Narrow switch plate Angle bracket 1 ½ x 10 ½	\$131.00 \$48.00
PMA-ANGL1	Angle bracket 1 ½ x 10 ½ Angle bracket adjustable 1 ½ x2 3/8x 10½	\$92.00
PMA-ANGL2	Angle bracket adjustable 1 3/8x2 3/8x10½ Angle bracket adjustable 1 3/8x2 3/8x10½	\$92.00
PMA-FILL1	Filler plate 10 ½ x 3/4 x 5/8	\$38.00

Note: Remote release and Power mag and accessories follow the Trilogy discounts.



POWER MAGNETS AND REQUEST TO EXIT BUTTONS (cont'd)

PRODUCT	DESCRIPTION	LIST PRICE
PMA-FILL2	Filler plate 10 ½ x ¾ x ½	\$38.00
	Z bracket adjustable use with PM600BI	
PMA-Z1	Series	\$177.00
	Z bracket adjustable use with PM1200	
PMA-Z2	series	\$289.00
PMA-ARMH1	Armature plate 7 1/4" x 1 1/2" x 19/32"	\$172.00
PMA-ARMH2	Armature plate 7 ½" x 2 7/16" x 19/32"	\$188.00

ALARM LOCK SYSTEMS, INC. WARRANTY/RETURN POLICY

Alarm Lock Systems Inc. warrants its products to be free from manufacturing defects in material and workmanship. The length of said warranty is 24 months on all products from the date of manufacture.

Any customer may get an over-the-counter exchange with the original seller (distributor) for any Alarm Lock product failing to operate properly.

For those customers who have direct accounts with Alarm Lock, please follow this procedure to return product for warranty replacement:

- 1. Email your request to: returns@alarmlock.com
- 2. In order to receive a return authorization number, you must provide the date code of the product.
- 3. The 4-digit date code sticker is the actual expiration date of the warranty.
- 4. Any out of warranty product returned to the factory will be scrapped and is not returnable.
- 5. If said product is found not to be operating properly because of a factory defect and is within the warranty period, Alarm Lock will issue a product replacement.

If you experience a problem with any Alarm Lock product, you may contact Alarm Lock's Technical Support directly at 1 800 252-5625.

All prices published are suggested list prices in US Dollars. Some specifications are preliminary and subject to change without prior notice. Not responsible for typographical errors. Alarm Lock Systems, LLC, is a Division of Napco Security Technologies, Inc. (NASDAQ:NSSC) © Alarm Lock Systems, LLC, 9.16

Notes

Notes

Alarm Lock Systems, Inc. 345 Bayview Ave Amityville, NY 11701 1 800 252-5625 1 631 789-3383 www.alarmlock.com

ALA132A.1 10/17